

# OX<sup>®</sup>

CATALOGUE  
EDITION 8



BORN IN  
AUSTRALIA.  
RAISED IN  
AUSTRALIA.

[oxtools.com](http://oxtools.com)



## Our Story

OX Tools is a world leading supplier of hand tools, diamond tools and safety products.

Developed and proven in Australia over the past 46 years, our tools are recognized as tough, dynamic and different across the globe.

As a supplier of professional tools we sell direct to merchants, providing them with excellent service, innovative merchandising solutions and a very powerful brand.

### FOLLOW US...

-  OXTools
-  OXTools
-  OXToolsAU

Subject to availability and OX Tools AU Pty Ltd.  
Terms and conditions of sale. All prices exclude GST. E & OE.



# Contents



**Diamond Tools**  
pages 14-43




**Concreting Tools**  
pages 44-67



**Bricklaying Tools**  
pages 68-77



**Plastering & Rendering Tools**  
pages 78-95



**Tiling Tools**  
pages 96-105



**Striking & Struck Tools**  
pages 106-117



**Measuring Tools**  
pages 118-121



**Layout Tools**  
pages 122-129



**Woodworking Tools**  
pages 130-133



**Cutting Tools**  
pages 134-137



**Plumbing & Electrical Tools**  
pages 138-141




**Site Tools & Accessories**  
pages 142-149



**Tool Storage**  
pages 150-153



**Safety Equipment**  
pages 154-159



**Merchandising**  
pages 160-162



# EASY TO USE ONLINE ORDERING SYSTEM



You can place your order on the move or wherever you are, via any desktop, smart phone and tablet device.

**NEW!**

## DEALER eCOMMERCE NOW AVAILABLE!

To login please visit: [shop.oxtools.com](http://shop.oxtools.com)



Shop by tool category or search for products that fit your needs.



Track & check on the status of your order.



See your pricing.



View your order history.



Place orders and check with your purchase order number




View your promotions & special pricing.

## NO BULL. JUST OX.





# IT'S EASIER TO DO BUSINESS WITH US!



## ORDER ACCURACY

**99.5**  
PERCENT

OF ORDERS ARE  
DELIVERED  
CORRECT



## QUICK ANSWERING

**2.5**  
SECONDS

AVERAGE PHONE  
CALL PICK UP  
TIME



## FAST DISPATCH

**12**  
PM

SAME DAY DISPATCH  
IF ORDERED BEFORE  
12PM



[shop.oxtools.com](https://shop.oxtools.com)

Online ordering made easy, desktop or mobile.

Fast, secure ordering with our user-friendly store



P: (02) 8845 6600

8:00 am to 5:00 pm AEST  
Monday to Friday

Our friendly, professional staff are ready to help.



[sales.au@oxtools.com](mailto:sales.au@oxtools.com)

Anytime! 24 hours - 7 days a week.



18 offices, 15 countries, one **OX**



**OX UK -  
Europe/Middle East**

- France
- Spain
- Sweden
- The Netherlands
- Malta
- Italy
- Finland
- Saudi Arabia
- Argentina
- United Arab

**OX Australia -  
Australasia/Asia Pacific**  
- New Zealand

**OX USA -  
North America**  
- Canada



# World Leading Technology...



Intricate detail of the products – the strength and thickness of the steel, the perfect weight & balance, the positioning of the handles – guaranteed better than the rest!



Packed with innovation, OX tools raise the benchmark for tool performance to unprecedented new levels.




A blade guaranteed to cut all construction products, including steel.

OX diamond blades deliver reliability, consistency and performance everyday on the construction site.

visit [oxtools.com](http://oxtools.com) to find out more...

Whatever the level of merchandising support you need we have the answer!





# Full Back Up Support



Staff training



Service & support on site





Demonstrations & trade shows



Marketing & sell through

# Live the Trade






# New innovative tool development

With our 46 years experience, and product and marketing innovation, we deliver ingenious design solutions to meet ever-evolving customer requirements.

The performance, service life and ergonomics of our tools are guided by the need to meet the high expectations of professional users on the jobsite.







# Green Focus

## Responsible Packaging Solution

At OX Tools, we believe we have a responsibility to do our bit. That's why we choose to use Eco-Friendly packaging.

We are focused on using packaging supplies that are safe for the environment. As we continue to evolve our green focus for a better environment, we will ensure that we adapt new eco-friendly packaging solutions.

### OX Tools is committed to:

- Comply with all relevant environmental legislation, regulations, planning policies and related initiatives.
- Set environmental objectives and targets to ensure continuous improvement.
- Measure, monitor and report on environmental management initiatives.
- Incorporate environmental better practice into our core business plans and management process.
- Undertake responsible resource management practices that aim to prevent pollution and reduce waste.
- Ensure we work closely with our clients, suppliers and other stakeholders to continually improve our business processes which affect the environment.
- Explore best practice and innovative environmental management approaches to the use of education, technology and infrastructure.
- Foster the initiation and ownership of environmental activities by all our staff through education, thereby building a strong environmentally aware business culture.

### Featured Eco-Friendly Products:



Bio-Degradable Stretch Film



Ecogreen Bubble



Bubblewrap Disposable Box



E-Tape Plus



# New Products



**Destroyer Blade**  
page 33



**Mixing Drill 1600w**  
page 92



**Mega Whip Mixer**  
page 94



**Speedkim® Render**  
page 88



**Backpack Sprayer**  
page 63




**Pro Torpedo Level**  
page 124



**Cross Beam Laser**  
page 126



**Tuff Carbon Pencil**  
page 129



**Combination Square**  
page 120



**Pro Hand Saw**  
page 136



**Work Boots**  
page 154



**Tough Wipes**  
page 146





Rodless Caulking Gun  
page 142



PVC Pipe Cutter  
page 139



Golden Finishing Trowel  
page 81



Chisels 5pk, 3pk & Singles  
page 132



Screw Driver Set  
page 133



Metal & TCTW Blades  
page 37 & 38



Bar Clamp Twin Pack  
page 131



6lb Mini Sledge  
page 111



Bricklayers Club Hammer  
page 110



Chalk Reel Twin Pack  
page 126



Tape Measure Twin Pack  
page 119



Storage Bag  
page 149



# Diamond Tools

**OX has been innovating diamond tools for over 46 years and is now clearly recognized as one of the leading brands of choice and at the forefront of technology.**

With our 46 years of experience as well as our product and market innovation, we deliver design solutions to meet ever-evolving customer requirements.


Our award winning diamond tools are produced in some of the world's most technically advanced laboratories and factories, guaranteeing the highest manufacturing quality.







## World Leading Technology



Only the finest quality of diamond is used in the production of OX blades.



State of the art laser technology for ultimate performance and safety.



Blade & cores are made of the highest quality steel, precision engineered, ground and hardened.

## Product Guarantees & Safety

The concept of safety is fundamental to the philosophy of the OX range. It is interwoven into the very fibre of innovation, design and production from concept to after sales service.



### EN13236

All blades conform with EN13236 and have this engraved onto the reverse of the product



### Full 'No Hassle' Guarantee

Covers all OX products



### Diamond Innovation

Ongoing development provides increased performance on existing products, and innovative new diamond solutions.



### Safety Instructions

Products undergo rigorous safety and vibration testing at our research & development facility, and in the field.



### Hand/Arm Vibration

OX products were among the first to be tested and certified safe for hand/arm vibration.



### Extra Safe

Our safety policy is an integral part of our company ethos with policies incorporating ISO18001.



### Environmental

Showing that we care: Manufacturing operations accredited to ISO 14001 environmental systems.

We have a responsibility. Quality control systems and environmental and safety management ensure that our care covers not only our products and our customers – but that our ethical guidelines address issues such as staff safety and care for the environment.

Refer page [161-165](#) for the Diamond Trouble Shooting Guide



## RECOMMENDATION GUIDE

For specific advice, refer to your sales representative or customer service.

APPLICATION GUIDE	DU10	DC10	TU10	TC10	TB10	TA10	MPS	MPSS	LCO	PB10	PA10	UC10	UB10	UA10
Aerated Concrete	👍	👍	👉	👍	👍	👍	👉	👉	👍	👍	👍	👍	👍	👍
Alumina	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Asphalt / Bitumen	👎	👎	👎	👎	👉	👍	👎	👎	👎	👉	👍	👎	👉	👍
Bluestone	👎	👉	👍	👎	👎	👎	👍	👍	👉	👎	👎	👉	👎	👎
Brick - Clay	👎	👉	👍	👎	👎	👎	👍	👍	👎	👎	👎	👎	👎	👎
Brick - Concrete	👉	👉	👉	👍	👍	👍	👉	👉	👉	👍	👉	👉	👍	👎
Brick - Lightweight	👍	👉	👉	👍	👍	👉	👉	👉	👍	👍	👉	👍	👍	👉
Brick - Refractory	👎	👉	👉	👎	👎	👎	👍	👍	👎	👎	👎	👎	👎	👎
Ceramic Tiles - General	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Ceramic Tiles - Fully Vitrified	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Cement - Sheetting	👍	👉	👍	👉	👉	👎	👍	👍	👉	👉	👎	👉	👉	👎
Cement - Block	👍	👉	👉	👍	👍	👍	👉	👉	👉	👍	👉	👉	👍	👉
Cement - Roof Tiles	👉	👉	👉	👍	👍	👍	👉	👉	👉	👍	👉	👉	👍	👉
Cement - Pipe	👉	👉	👉	👍	👍	👎	👉	👉	👍	👉	👎	👍	👉	👎
Concrete - Cured	👉	👉	👉	👍	👉	👉	👉	👉	👍	👉	👎	👍	👉	👎
Concrete - Cured Reinforced	👎	👎	👉	👍	👉	👎	👉	👉	👍	👉	👎	👍	👉	👎
Concrete - Green	👎	👎	👎	👎	👉	👍	👉	👉	👎	👉	👍	👎	👉	👍
Concrete - Lightweight	👍	👍	👉	👍	👍	👍	👉	👉	👍	👉	👉	👍	👍	👉
Demolition Work	👎	👉	👍	👎	👎	👎	👍	👍	👎	👎	👎	👎	👎	👎
Engineered Stone	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Fibreglass	👎	👎	👉	👎	👎	👎	👉	👎	👎	👎	👎	👎	👎	👎
Fibre Cement Sheet	👍	👍	👍	👉	👉	👎	👍	👍	👉	👉	👎	👉	👉	👎
Granite	👎	👉	👍	👎	👎	👎	👍	👍	👎	👎	👎	👉	👎	👎
Glass	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👉	👎	👎
Limestone	👎	👉	👍	👎	👉	👎	👍	👍	👉	👉	👎	👍	👉	👍
Mortar	👎	👎	👎	👎	👉	👍	👎	👎	👎	👉	👍	👎	👉	👎
Marble	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Porcelain	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Roof Tiles - Clay	👎	👍	👍	👎	👎	👎	👍	👍	👉	👎	👎	👉	👎	👎
Roof Tiles - Cement	👉	👉	👎	👉	👍	👎	👉	👉	👎	👍	👎	👉	👍	👉
Sandstone	👉	👉	👉	👉	👉	👍	👉	👉	👉	👍	👍	👉	👍	👍
Slate	👉	👍	👍	👎	👎	👉	👍	👍	👍	👉	👎	👍	👉	👎
Steel	👎	👎	👉	👎	👎	👎	👉	👎	👎	👎	👎	👎	👎	👎
Terracotta	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Terrazzo	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎
Wall Chasing	👉	👎	👉	👉	👉	👎	👎	👎	👉	👉	👎	👉	👉	👎
LEGEND			Will Cut Well		👍		Will Cut		👉		Will Not Cut		👎	





Refer page 161-165 for the Diamond Trouble Shooting Guide

APPLICATION GUIDE	THB	TCB	TSB	MPSS	PHB	PCB	PSB	PHBS	PCBS	PSBS	PSF	UCF	UBF	UAF
Aerated Concrete	🔴	👉	🟢	👉	👉	👉	🟢	👉	👉	🟢	👉	🟢	🟢	🟢
Alumina	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Asphalt / Bitumen	🔴	🔴	👉	👉	🔴	🔴	🔴	🔴	🔴	🔴	🟢	🔴	👉	🟢
Bluestone	👉	👉	🔴	👉	🟢	👉	🔴	🟢	👉	🔴	🔴	👉	🔴	🔴
Brick - Clay	🟢	🟢	👉	🟢	🟢	👉	🔴	🟢	👉	🔴	🔴	🔴	🔴	🔴
Brick - Concrete	👉	🟢	🟢	👉	🔴	👉	🟢	🔴	👉	🟢	🟢	👉	🟢	🔴
Brick - Lightweight	👉	👉	🟢	👉	🔴	👉	🟢	🔴	👉	🟢	🟢	🟢	🟢	👉
Brick - Refractory	👉	👉	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Ceramic Tiles - General	🔴	🔴	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Ceramic Tiles - Fully Vitrified	🔴	🔴	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Cement - Sheetting	🟢	👉	👉	🟢	👉	👉	👉	👉	👉	👉	👉	👉	👉	🔴
Cement - Block	🔴	👉	🟢	👉	🔴	👉	🟢	🔴	👉	🟢	🟢	👉	🟢	👉
Cement - Roof Tiles	🔴	🟢	🟢	👉	🔴	👉	🟢	🔴	👉	🟢	👉	👉	🟢	👉
Cement - Pipe	🔴	👉	🟢	👉	👉	👉	👉	👉	👉	👉	👉	🟢	👉	🔴
Concrete - Cured	🔴	👉	👉	👉	👉	👉	👉	👉	👉	👉	👉	🟢	👉	🔴
Concrete - Cured Reinforced	🔴	👉	👉	👉	👉	👉	👉	👉	👉	👉	👉	🟢	👉	🔴
Concrete - Green	🔴	🔴	🔴	👉	🔴	🔴	👉	🔴	🔴	👉	🟢	🔴	👉	🟢
Concrete - Lightweight	🔴	👉	🟢	👉	🔴	👉	👉	🔴	👉	👉	🟢	🟢	🟢	👉
Demolition Work	🔴	👉	🔴	🟢	🔴	👉	🔴	🔴	👉	🔴	👉	🔴	🔴	🔴
Engineered Stone	🔴	👉	👉	👉	👉	👉	👉	👉	👉	👉	🔴	🔴	🔴	🔴
Fibreglass	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Fibre Cement Sheet	🟢	👉	👉	🟢	👉	👉	👉	👉	👉	👉	👉	👉	👉	🔴
Granite	👉	🔴	🔴	🟢	👉	🔴	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴
Glass	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Limestone	🔴	👉	👉	👉	🔴	👉	🟢	🔴	👉	🟢	🟢	👉	👉	🔴
Mortar	🔴	🔴	👉	👉	🔴	👉	👉	🔴	🔴	🔴	👉	🔴	👉	🟢
Marble	🔴	🔴	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Porcelain	🔴	🔴	🔴	👉	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Roof Tiles - Clay	🟢	🟢	🔴	🟢	🟢	👉	🔴	🟢	👉	🔴	🔴	👉	🔴	🔴
Roof Tiles - Cement	👉	👉	🟢	👉	🔴	👉	🟢	🔴	👉	🟢	🟢	👉	🟢	🔴
Sandstone	🔴	👉	👉	👉	🔴	🔴	🟢	🔴	🔴	🟢	🟢	👉	🟢	🟢
Slate	🔴	👉	🔴	🟢	🟢	👉	👉	🟢	👉	👉	🔴	🟢	👉	🔴
Steel	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴	🔴
Terracotta	🔴	🔴	🔴	👉	🟢	👉	🔴	🟢	👉	🔴	🔴	🔴	🔴	🔴
Terrazzo	🔴	🔴	👉	👉	🔴	👉	🟢	🔴	👉	🟢	🔴	🔴	🔴	🔴
Wall Chasing	👉	👉	👉	👉	👉	👉	👉	👉	👉	👉	🔴	👉	👉	🔴
LEGEND			Will Cut Well		🟢		Will Cut		👉		Will Not Cut		🔴	



# Blade Selection & Presentation



## Performance Classes

### STANDARD SERIES

Entry level contractor range – an industry benchmark.

### TRADE SERIES

Exceptional value for the price conscious buyer who wants something better.

### PRO SERIES

The award winning, best selling superior blades – including the MPS – the best all round builders blade on the market.

### ULTIMATE SERIES

When nothing but the best will do. 'Ultimate' says it all.

Refer page 159-163 for the Diamond Trouble Shooting Guide





## Material Classes

### U CLASS

#### UNIVERSAL HARD

Hard materials & metal  
Fast cutting universal  
Hard natural stone  
Clay products  
Engineering bricks

### C CLASS

#### CONCRETE / GENERAL PURPOSE

Concrete & concrete  
products  
General purpose  
Unabrasive products  
Building products

### B CLASS

#### ABRASIVE / GENERAL PURPOSE

Abrasive materials  
Concrete & asphalt  
Dual purpose  
Concrete products  
Concrete roof tiles  
Green Concrete

### A CLASS

#### ASPHALT

Asphalt & extremely  
abrasive products  
Cement screed  
Lignacite blocks.

Logical  
separation of  
each different  
diamond blade  
into different  
material classes

QUALITY: **STANDARD SERIES**

prefix: D



DU10



DC10

QUALITY: **TRADE SERIES**

prefix: T



TU10



TC10



TB10



TA10

Very clear  
quality bands

QUALITY: **PRO SERIES**

prefix: P



MPS



LCO




PB10



PA10

QUALITY: **ULTIMATE SERIES**

prefix: U



UC10



UB10



UA10



## Angle Grinders & Demolition Saws

The STANDARD Series gives the benefit of a safe performing product for the cost conscious user.



### STANDARD DU10 GENERAL PURPOSE

Best selling general purpose blade with robust 10mm segment height. Applications include: bricks and slabs, concrete pavers, roof tiles, concrete products.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-DU10-4	9341231024030	4	16	14500	6	24
OX-DU10-4.5	9341231024047	4 1/2	22.2/20	13200	6	24
OX-DU10-5	9341231024054	5	22.2/20	12000	6	24
OX-DU10-9	9341231030918	9	25.4/22.2	6600	6	24

### OX DC10: setting the standard

The DC10 remains the No. 1 standard general purpose blade and an industry benchmark for our competitors to aspire to. Robust 10mm segment height gives an increased life of 43% over the original 7mm segment.



### STANDARD DC10 GENERAL PURPOSE

Best selling general purpose blade with robust 10mm segment height. Applications include: bricks and slabs, concrete pavers, roof tiles, concrete products.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-DC10-4	9341231003608	4	16	14500	25	100
OX-DC10-5	9341231003622	5	22.2/20	12000	25	100
OX-DC10-9	9341231003660	9	25.4/22.2	6600	6	24
OX-DC10-14	9341231003684	14	25.4/22.2	5400	5	10
OX-DC10-16	9341231003691	16	25.4/22.2	4800	0	5





## TRADE TU10 UNIVERSAL/HARD

Fast cutting universal blade, with 10mm segment height. Features super fast turbo segment and cooling holes. CUTS IT ALL – GUARANTEED. Applications include: concrete products, clay products, granite, engineering bricks, building products.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TU10-4	9341231002007	4	16	14500	10	100
OX-TU10-4.5	9341231002014	4 ½	22.2/20	13200	10	100
OX-TU10-5	9341231002021	5	22.2/20	12000	10	100
OX-TU10-7	9341231002045	7	25.4/22.2	8500	10	50
OX-TU10-8	9341231002052	8	30/25.4	7600	10	50
OX-TU10-9	9341231002069	9	25.4/22.2	6600	10	30
OX-TU10-14	9341231002083	14	25.4/20	5400	5	10



## TRADE TC10 CONCRETE

The general purpose blade with a 10mm segment height. All round performance. Applications include: building products, general purpose, kerbs and slabs, concrete pavers and blocks, roof tiles.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TC10-4	9341231002106	4	16	14500	0	50
OX-TC10-4.5	9341231002113	4 ½	22.2/20	13200	0	50
OX-TC10-5	9341231002120	5	22.2/20	12000	0	50
OX-TC10-7	9341231002144	7	25.4/22.2	8500	0	25
OX-TC10-9	9341231002168	9	25.4/22.2	6600	0	25
OX-TC10-14	9341231002182	14	25.4/20	5400	0	10
OX-TC10-16	9341231020346	16	25.4/20	4800	0	10



## TRADE TB10 ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment height. Applications include: general and abrasive building products, concrete pavers, concrete roof tiles, hard asphalt, breeze blocks.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TB10-4	9341231002205	4	16	14500	0	50
OX-TB10-5	9341231002229	5	22.2/20	12000	0	50
OX-TB10-7	9341231002243	7	25.4/22.2	8500	0	25
OX-TB10-8	9341231002250	8	30/25.4	7600	0	25
OX-TB10-9	9341231002267	9	25.4/22.2	6600	0	20
OX-TB10-14	9341231002281	14	25.4/20	5400	0	10
OX-TB10-16	9341231002298	16	25.4/20	4800	0	10



## TRADE TA10 ASPHALT

Asphalt blade with 10mm segment height and wedge undercut protection. Applications include: asphalt and extremely abrasive materials, render.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TA10-14	9341231002311	14	25.4/20	5400	0	10





## Angle Grinders & Demolition Saws

The blade that is...

# GUARANTEED


to cut ALL masonry construction products!



SUPERFAST TURBO segment technology combines aggressive cutting ability with a fine, clean cut and no burning of the segments. Eliminating the possibility of single segment detachment.



REINFORCED, EXTRA SECURE, DUAL CENTRE FLANGE AND UNIQUE COOL-FAST DESIGN for a quieter, cooler and safer blade, with no distortion in the cut.



In use, the blade is semi-transparent and cuts out much of the vibration associated with conventional diamond tools.



Safety and vibration tested to meet and surpass relevant standards. Conforms with EN13236.

### PRO MPS UNIVERSAL/HARD



CUTS EVERYTHING ON A CONSTRUCTION SITE!

Guaranteed to cut all masonry construction products including metal. Excellent fast cut on universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent. Applications include: granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials. 12mm segment height.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-04MPS	9341231002335	4	16	14500	10	100
OX-45MPS	9341231002342	4 1/2	22.2/20	13200	10	100
OX-05MPS	9341231002359	5	22.2/20	12000	10	100
OX-06MPS	9341231002366	6	25.4/20	10200	3	6
OX-07MPS	9341231002373	7	25.4/22.2	8500	10	50
OX-08MPS	9341231002380	8	30/25.4	7600	10	50
OX-09MPS	9341231002397	9	25.4/22.2	6600	10	30
OX-10MPS	9341231036279	10	25.4/20	6100	10	30
OX-14MPS	9441231002417	14	25.4/20	5400	5	10

### PRO MPSS SUPERFAST UNIVERSAL/HARD



CUTS EVERYTHING ON A CONSTRUCTION SITE!

Guaranteed to cut all masonry construction products. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent. Applications include: granite, natural stone, clay products, engineering bricks, concrete products, all building materials. Wear will increase on abrasive materials. 15mm segment height.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-12MPSS	9341231003172	12	25.4/20	5400	5	10
OX-14MPSS	9341231003189	14	25.4/20	4300	5	10
OX-16MPSS	9341231003196	16	25.4/20	3800	5	10



## PRO LCO CYCLONE CONCRETE

Durable 'Cuts it all' general purpose and concrete products blade with 10mm segment height. Applications include: cured reinforced concrete, concrete kerbs and slabs, concrete pavers, roof tiles, bricks, general building materials.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-LCO-14	9341231002519	14	25.4/20	4300	5	10
OX-LCO-16	9341231020353	16	25.4/20	3800	5	10
OX-LCO-20	9341231037597	20	25.4/20	3000	2	4



## PRO PB10 ZEBRA ABRASIVE/GENERAL PURPOSE

High performance dual purpose blade with 10mm segment height. Features drop segment to prevent undercut. Applications include: abrasive building materials, concrete products, roof tiles, blocks, floorsaw concrete & dual concrete/asphalt.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PB10-4	9341231002533	4	16	14500	6	24
OX-PB10-4.5	9341231002540	4 1/2	22.2/20	13200	6	24
OX-PB10-5	9341231002557	5	22.2/20	12000	6	24
OX-PB10-9	9341231002595	9	25.4/22.2	6600	6	24
OX-PB10-14	9341231002618	14	25.4/20	4300	5	10
OX-PB10-16	9341231020360	16	25.4/20	3800	5	10



## PRO PA10 SHARK ASPHALT

Undercut protected blade with 10mm segment height. Applications include: asphalt and extremely abrasive products.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PA10-14	9341231002649	14	25.4/20	4300	5	10
OX-PA10-16	9341231002656	16	25.4/20	3800	5	10







## Angle Grinders & Demolition Saws

### ULTIMATE UC10 CYCLONE CONCRETE PRODUCTS



Blade with 10mm segment height. Featuring tear drop gullet design, cooling holes, reinforced centre flange. Applications include: in-situ concrete (including reinforced), concrete products, natural stone, building materials. Ideal 'civils' blade.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UC10-4.5	9341231002779	4 1/2	22.2/20	13200	100	200
OX-UC10-5	9341231002786	5	22.2/20	12000	100	200
OX-UC10-9	9341231002823	9	25.4/22.2	6600	6	24
OX-UC10-14	9341231002847	14	25.4/20	5400	5	10
OX-UC10-16	9341231020377	16	25.4/20	4800	5	10

### ULTIMATE UB10 ZEBRA ABRASIVE



Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet. Applications include: dual purpose concrete & asphalt, sandstone, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UB10-7	9341231002908	7	25.4/22.2	8500	4	12
OX-UB10-9	9341231002922	9	25.4/22.2	6600	6	24
OX-UB10-14	9341231002946	14	25.4/20	5400	5	10
OX-UB10-16	9341231002953	16	25.4/20	4800	5	10

### ULTIMATE UA10 BLACK SHARK ASPHALT



Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet. Applications include: asphalt & extremely abrasive products, cement screed, lignacite blocks.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UA10-14	9341231002977	14	25.4/20	5400	5	10
OX-UA10-16	9341231002984	16	25.4/20	4800	5	10



# Bricksaw & Blocksaw Blades

## Material Classes

### U CLASS

#### UNIVERSAL HARD

Concrete pavers  
Clay products  
Granite  
Engineering bricks  
Hard bricks

### H CLASS

#### HARD BRICK

Medium to hard  
Clay bricks and pavers

### C CLASS

#### COMBINATION

Clay bricks  
Clay pavers  
Concrete pavers

### S CLASS

#### SOFT BRICK

Concrete pavers  
Besser blocks  
Sandstone  
Pavers Lignacite blocks

QUALITY: **TRADE SERIES**

prefix: T



THB



TCB



TSB

QUALITY: **PRO SERIES**

prefix: P



MPSS



PHB



PCB



PSB

QUALITY: **SILENTYPE SERIES**

prefix: P



PHBS



PCBS



PSBS

Logical separation of each different diamond blade into different material classes

Very clear quality bands



## Bricksaw & Blocksaw Blades

### TRADE THB HARD BRICK



The hard brick blade with sintered segment. Applications include: medium to hard clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-THB-14	9341231003059	14	25.4/20	4300	5	10
OX-THB-16	9341231003066	16	25.4/20	3800	5	10

### TRADE TCB 50 / 50 COMBINATION



The combination blade with sintered segment. Applications include: 50/50 clay/concrete, clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TCB-12	9341231003073	12	25.4/20	5400	2	5
OX-TCB-14	9341231003080	14	25.4/20	4300	5	10
OX-TCB-16	9341231003097	16	25.4/20	3800	5	10

### TRADE TSB SOFT BRICK



The soft brick/block blade for abrasive materials. Sintered welded segment. Applications include: concrete, pavers, besser blocks and sandstone.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TSB-12	9341231003127	12	25.4/20	5400	3	5
OX-TSB-14	9341231003134	14	25.4/20	4300	5	10
OX-TSB-16	9341231003141	16	25.4/20	3800	5	10





## PRO MPSS UNIVERSAL

Guaranteed to cut all construction products. 15mm segment height. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent. Applications include: granite, natural stone, clay products, engineering bricks, concrete pavers and hard bricks. Wear will increase on abrasive materials. Ideal for travertine.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-12MPSS	9341231003172	12	25.4/20	5400	3	5
OX-14MPSS	9341231003189	14	25.4/20	4300	5	10
OX-16MPSS	9341231003196	16	25.4/20	3800	5	10



## PRO PHB HARD BRICK

The hard brick blade with laser welded segments. Applications include: medium to hard clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PHB-14	9341231003233	14	25.4/20	4300	5	10



## PRO PCB 50 / 50 COMBINATION

The combination blade with laser welded segment. Applications include: 50/50 clay/concrete, clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PCB-14	9341231003264	14	25.4/20	4300	5	10
OX-PCB-16	9341231003271	16	25.4/20	3800	5	10



## PRO PSB SOFT BRICK

The soft brick/block blade for abrasive materials. Applications include: concrete pavers and besser blocks.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PSB-14	9341231003318	14	25.4/20	4300	5	10





## Bricksaw & Blocksaw Blades - Silent



### PRO PHBS HARD BRICK SILENTYPE

Laminated core for noise reduction. The hard brick blade with laser welded segments. Applications include: medium to hard clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PHBS-14	9341231003363	14	25.4/20	4300	5	10



### PRO PCBS 50 / 50 COMBINATION SILENTYPE

Laminated core for noise reduction. The combination blade with laser welded segment. Applications include: 50/50 clay/concrete, clay bricks and pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PCBS-12	9341231003387	12	25.4/20	5400	3	5
OX-PCBS-14	9341231003394	14	25.4/20	4300	5	10
OX-PCBS-16	9341231003400	16	25.4/20	3800	5	10
OX-PCBS-18	9341231003417	18	25.4/20	3350	2	4
OX-PCBS-20	9341231003424	20	25.4/20	3050	2	4



### PRO PSBS SOFT BRICK SILENTYPE

Laminated core for noise reduction. The soft brick/block blade for abrasive materials. Applications include: concrete pavers and besser blocks.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PSBS-14	9341231003448	14	25.4/20	4300	5	10
OX-PSBS-16	9341231003455	16	25.4/20	3800	5	10
OX-PSBS-18	9341231003462	18	25.4/20	3350	2	4
OX-PSBS-20	9341231003479	20	25.4/20	3050	2	4



# Floorsaw Blades

## Material Classes

### C CLASS

#### CONCRETE/ GENERAL PURPOSE

Concrete & concrete products  
General purpose  
Unabrasive products  
Building products

### B CLASS

#### ABRASIVE/ GENERAL PURPOSE

Abrasive materials  
Concrete & asphalt  
Dual purpose  
Concrete products  
Concrete roof tiles

### A CLASS

#### ASPHALT

Asphalt & extremely abrasive products  
Cement screed  
Lignacite blocks

Logical separation of each different diamond blade into different material classes

QUALITY: **ULTIMATE SERIES**

prefix: U



UCF



UBF




UAF

Very clear quality bands





## Floorsaw Blades



### ULTIMATE UCF CONCRETE

Extremely high quality blade with 10mm segment height. Used by professionals. Applications include: in-situ concrete - flint and limestone aggregate, reinforced concrete.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UCF-18	9341231003837	18	25.4/20	2700	2	4
OX-UCF-20	9341231003844	20	25.4/20	2450	2	4



### ULTIMATE UBF DUAL PURPOSE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet. Applications include: concrete and asphalt, abrasive concrete, asphalt over concrete, concrete pavers.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UBF-18	9341231003875	18	25.4/20	3400	2	4
OX-UBF-20	9341231003882	20	25.4/20	3000	2	4
OX-UBF-24	9341231003899	24	25.4/20	2500	2	4






























### ULTIMATE UAF ASHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet. Applications include: hot rolled and footway asphalt, cement screed, extremely abrasive new green concrete.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UAF-18	9341231003912	18	25.4/20	3400	2	4
OX-UAF-20	9341231003929	20	25.4/20	3000	2	4



## Ceramic & Stone Tiling Blades

APPLICATION GUIDE		CERAMIC TILES	NATURAL STONE	GRANITE	MARBLE	PORCELAIN
TRADE SERIES OX-TCT						
ULTIMATE SERIES OX-UCT						
ULTIMATE SERIES OX-UCFT						
ULTIMATE SERIES OX-UCFM						
LEGEND		Will Cut Well		Will Not Cut		Will Cut

### TRADE TCT CERAMICS

Continuous rim diamond blade for cutting ceramic tiles. Popular sizes. Applications include: ceramic tiles.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TCT-4	9341231004070	4	16	14500	6	24
OX-TCT-4.5	9341231004087	4 1/2	22.2/20	13200	6	24
OX-TCT-5	9341231004094	5	22.2/20	12000	6	24
OX-TCT-7	9341231004117	7	25.4/22.2	8500	4	12
OX-TCT-9	9341231004131	9	30/25.4	6600	6	24



### ULTIMATE UCT CERAMICS


Featuring 10mm continuous rim, fine cut, high concentration, s-slot cool cutting, s-detenso silencing. Cuts all tiles – guaranteed! Applications include: ceramic tiles, natural stone, porcelain, granite, marble.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UCT-4	9341231004278	4	16	14500	6	24
OX-UCT-4.5	9341231004285	4 1/2	22.2/20	13200	6	24
OX-UCT-5	9341231004292	5	22.2/20	12000	6	96
OX-UCT-6	9341231004308	6	25.4/22.2	10200	3	6
OX-UCT-7	9341231004315	7	25.4/22.2	8500	4	12
OX-UCT-8	9341231004322	8	30/25.4	7600	3	6
OX-UCT-9	9341231004339	9	30/25.4	6600	6	24
OX-UCT-14	9341231004360	14	30/25.4	4300	5	10






## Ceramic & Stone Tiling Blades




### ULTIMATE UCFT FINE TURBO PORCELAIN



Applications include: porcelain, ceramic, natural stone, granite. 1.2mm Blade thickness.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UCFT-4	9341231015441	4	16	19,100	6	24
OX-UCFT-4.5	9341231015458	4 1/2	16	16,650	6	24
OX-UCFT-5	9341231015465	5	16	15,300	6	24

### ULTIMATE UCFM FINE MESH PORCELAIN




Applications include: porcelain, ceramic, natural stone, granite. 1.2mm Blade thickness.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UCFM-4	9341231015472	4	16	19,100	6	24
OX-UCFM-4.5	9341231015489	4 1/2	16	16,650	6	24
OX-UCFM-5	9341231015496	5	16	15,300	6	24





## Hire & Rental Blade



### ULTIMATE UDH10 DESTROYER HIRE BLADE

Engineered to cut quickly through a variety of materials including asphalt, concrete and reinforced concrete. Ultra-hard cutting segments made from a blend of tungsten and diamonds for longer life. Engineered with Grade A synthetic diamonds for a smoother faster cut.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-UDH10-14	9341231012785	14	25.4/20mm	5400	5	20
OX-UDH10-16	9341231012792	16	25.4/20mm	4500	5	20





## Diamond Cup Wheels

APPLICATION GUIDE			
TURBO		DOUBLE ROW	SPIRAL
Available in both Pro and Ultimate. Ultimate series offers greater life and grinding speed.			
<b>PRO SERIES</b> OX-PCT	<b>ULTIMATE SERIES</b> OX-UCG	<b>ULTIMATE SERIES</b> OX-UCD	<b>ULTIMATE SERIES</b> OX-UCRB
Great for shaping and grinding of cured concrete, stone, clay bricks, pavers and general masonry products. These grinding cups have a double layer of diamond for longer life and better cooling.		High-performance cups have two rows of segments on the perimeter. Designed for aggressive removal of concrete bumps and imperfections with a longer life than single-row cups. (Not recommended for green concrete).	High quality, fast stripping radial segment cups. Available with a various number of segments in radial patterns. Applications include fast stripping of concrete coatings such as epoxy, paint and glues. Can also be used for concrete removal and formwork cleaning.

Precision manufactured diamond grinding cups and heads for angle grinders and concrete planers.

We also provide a range of specialist and bespoke grinding heads and tools for a variety of machines and applications.

Available in either 14mm thread or a 22.2mm bush.

### PRO PCT TURBO CUP WHEEL



Great for shaping and grinding of cured concrete, stone, clay bricks, pavers and general masonry products. These grinding cups have a double layer of diamond for longer life and better cooling.

Product code	Barcode	Diameter (in)	Bore (mm)	Grit	Inner Qty	Outer Qty
OX-PCTT-4	9341231004865	4	M14	30	3	6
OX-PCTB-4	9341231004872	4	22.2	30	3	6
OX-PCTT-5	9341231004889	5	M14	30	3	6
OX-PCTB-5	9341231004896	5	22.2	30	3	6
OX-PCTT-7	9341231004902	7	M14	30	3	6
OX-PCTB-7	9341231004919	7	22.2	30	3	6

### ULTIMATE UCD DOUBLE ROW CUP WHEEL



High-performance cups have two rows of segments on the perimeter. Designed for aggressive removal of concrete bumps and imperfections with a longer life than single-row cups. (Not recommended for green concrete).

Product code	Barcode	Diameter (in)	Bore (mm)	Grit	Inner Qty	Outer Qty
OX-UCDB-4	9341231004933	4	22.2	30	3	6
OX-UCDB-4.5	9341231004957	4 1/2	22.2	30	3	6
OX-UCDB-5	9341231004971	5	22.2	30	3	6
OX-UCDB-7	9341231005015	7	22.2	30	3	6



## ULTIMATE UCRB RADIAL SEGMENT GRINDING CUP WHEEL

High quality, fast stripping radial segment cups. Available with a various number of segments in radial patterns. Applications include fast stripping of concrete coatings such as epoxy, paint and glues. Can also be used for concrete removal and formwork cleaning.

Product code	Barcode	Diameter (in)	Bore (mm)	No of Segments	Inner Qty	Outer Qty
OX-UCRB-5/10	9341231016400	5	22.2	10	6	36
OX-UCRB-5/6	9341231016394	5	22.2	6	6	36
OX-UCRB-7/12	9341231016417	7	22.2	12	6	12



## ULTIMATE UCG TURBO CUP WHEEL

Great for shaping and grinding of cured concrete, stone, clay bricks, pavers and general masonry products. These grinding cups have a double layer of diamond for longer life and better cooling.

### FINE GRIT

Product code	Barcode	Diameter (in)	Bore (mm)	Grit	Inner Qty	Outer Qty
OX-UCGFB-4	9341231038082	4	22.2	120	3	6
OX-UCGFB-5	9341231038099	5	22.2	120	3	6
OX-UCGFT-7	9341231038136	7	M14	120	3	6

### MEDIUM GRIT

Product code	Barcode	Diameter (in)	Bore (mm)	Grit	Inner Qty	Outer Qty
OX-UCGMB-5	9341231038150	5	22.2	60	3	6
OX-UCGMT-7	9341231038198	7	M14	60	3	6
OX-UCGMB-7	9341231038167	7	22.2	60	3	6

### COARSE GRIT


Product code	Barcode	Diameter (in)	Bore (mm)	Grit	Inner Qty	Outer Qty
OX-UCGT-4	9341231005022	4	M14	30	3	6
OX-UCGB-4	9341231005039	4	22.2	30	3	6
OX-UCGT-5	9341231005060	5	M14	30	3	6
OX-UCGB-5	9341231005077	5	22.2	30	3	6
OX-UCGT-7	9341231005084	7	M14	30	3	6
OX-UCGB-7	9341231005091	7	22.2	30	3	6







## Specialist Blades



### ULTIMATE PCD FIBRE CEMENT BLADE



#### Other features include:

Thin kerf blade for minimal dust. Ground hardened plate for smooth cut. Cuts up to 9,000 feet of fibre cement. Polycrystalline diamond tipped teeth. Laser cut body, stronger tooth attachment and greater accuracy.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PCD-185	9341231035432	7" 4 Teeth	185	30	4	12
OX-PCD-230	9341231035449	9" 6 Teeth	230	22.2	4	12

### PRO PMR TUCK POINTING



High quality 6mm wide segment blade. The market leader – a great product to use. Fast cut/long life. Applications include: mortar raking, abrasive materials.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PMR-5	9341231004025	5	22.2/20	-	3	6

### PRO PMT ELECTROPLATED MARBLE



Electroplated diamond blade for fine cutting of marble and glass reinforced plastic. Applications include: marble, fibreglass, plastic and glass reinforced plastic.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-PMT-4	9341231004476	4	16	15180	6	12
OX-PMT-5	9341231004490	5	22.2/20	12144	6	12



## Metal Blade



### TRADE METAL PLUS BLADE

Improved performance and blade life – Diamond Blades can last longer than non diamond cutting disks (results are dependent on length and material being cut). Offers a more precise and constant cut. Less frequent disk replacement.


Can be used on most Metal Materials such as Rebar, Cast Iron, Tube Steel, Sheet Metal, Stainless Steel, Cast Iron, Aluminium, Non Ferrous Materials.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TSM-4	9341231039027	4"/100mm	5/8" (16mm)	13200	10	100
OX-TSM-5	9341231039034	5"/125mm	7/8" (22.23mm)	12200	10	100
OX-TSM-9	9341231039041	9"/230mm	13/8" (35mm)	6600	10	30





## Wood Cutting Blade



### PRO WOOD CUTTING TOOTH COATED SAW BLADE

Electro coated blades for extreme durability, reduction of heat, and smooth cutting performance. Laser cut vibration and noise reducing slots. 24 carbide tipped teeth for long lasting cutting performance. Thin kerf design for quicker cutting.

Designed for framing, ripping, and general wood cross cutting-plywood, hardwoods. Framing materials. 5/8" diamond arbor. Max 10,000 RPMs.

Product code	Barcode	Diameter (in)	Bore (mm)	RPM	Inner Qty	Outer Qty
OX-TCTW24-6.5	9341231039256	6.5"/165mm	20mm	10000	25	50
OX-TCTW24-7.25	9341231018848	7.5"/184mm	20mm	8000	25	50
OX-TCTW40-8.5	9341231039263	8.5"/216mm	30mm	8000	25	25





# Diamond Core Drills

With a wealth of experience in all types of diamond core drilling, OX has the most complete range of products available in the market today.

## NO.1 FOR DRY CORE DRILLING

OX: the home of dry core drills.

INDUSTRY BENCHMARK.  
The most popular.

For drilling brick and block.



## NO.1 FOR WET CORE DRILLING

The professional choice for the professional contractor.  
UWC wet concrete drills have been tested and proven  
in the most demanding aggregates around the world.

For drilling reinforced concrete.



## NO.1 FOR TILE DRILLING

PDD Tile Drilling revolution. Quite simply, exactly what the market has  
been asking for. Fast, easy to use, and completely trouble free.

With the TTD cores for occasional users, and a choice of the PDD or  
UTDH cores for professional users – OX have the answers. For drilling  
porcelain, granite, hard natural stones and ceramics.




## NO.1 FOR CORE DRILLING KITS

The perfect start to dry core drilling, our aluminium cases are sturdier,  
smarter and contain more accessories than the competition. Often  
copied, but never surpassed, these are the cores to be seen with  
– and use.





## Dry Core Drills



Rapid, clean cutting; long life.

### PRO PDC DRY CORE DRILL

Universal dry diamond core drill in all popular plumbers sizes up to 127mm. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork. Applications include: medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products. Minimum drill size: 850W



Product code	Barcode	Diameter (mm)	Length (mm)	Back end	Inner Qty	Outer Qty
OX-PDC-032	9341231005190	32	150	1/2" BSP	3	6
OX-PDC-038	9341231005206	38	150	1/2" BSP	3	6
OX-PDC-048	9341231005213	48	150	1/2" BSP	3	6
OX-PDC-052	9341231005220	52	150	1/2" BSP	3	6
OX-PDC-065	9341231005237	65	150	1/2" BSP	2	4
OX-PDC-078	9341231005244	78	150	1/2" BSP	2	4
OX-PDC-091	9341231005251	91	150	1/2" BSP	2	4
OX-PDC-102	9341231005268	102	150	1/2" BSP	2	4
OX-PDC-107	9341231005275	107	150	1/2" BSP	2	4
OX-PDC-117	9341231005282	117	150	1/2" BSP	2	4
OX-PDC-127	9341231005299	127	150	1/2" BSP	2	4

### PRO PCC DRY CORE CASE

#### FEATURES

- Everything you need to get started with dry core drilling in a sturdy aluminium case
- Contains PDC cores – 38, 52, 65, 117, 127mm
- Contains HEX & SDS adapters and extensions



Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-PCC-5	9341231007309	38, 52, 65, 117, 127	2	4



## ULTIMATE UCC HELIX DRY CORE CASE

### FEATURES

- Everything you need to get started with dry core drilling in a sturdy aluminium case
- Contains UDCL LONG LIFE cores – 38, 52, 65, 117, 127mm
- Contains HEX & SDS adapters and extensions

Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-UCC-5	9341231036491	38, 52, 65, 117, 127	2	4



## Dry Core Accessories

OX dry core accessories are manufactured from the highest grade steel to ensure that they can withstand the toughest use. Zinc plating enhances the visual appearance and protects against rust without leaving oil deposits. The most complete range of accessories to cover all machinery options and personal preferences.

### ADAPTORS - BSP (M)

Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-JX01	9341231012518	HEX ADAPTOR ONLY	3	6
OX-JX31	9341231012525	HEX 10" LONG ADAPTOR	3	6
OX-JS01	5060135472696	SDS (PLUS) ADAPTOR ONLY	6	18
OX-JS25	9341231012549	SDS (PLUS) 10" LONG ADAPTOR	3	6
OX-JM01	9341231012556	SDS MAX ADAPTOR ONLY	3	6
OX-JBA58	9341231012587	1/2" X 16UN(F) TO 1/2" BSP(M) ADAPTOR	3	6



### PILOTS & DRIFTS

Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-JB09	9341231012648	1/2" GUIDE ROD 8-1/4"	3	6
OX-JB13	5060135472269	1/2" A TAPER DRILL 8-1/4"	3	6
OX-JB05	5060135472238	DRIFT KEY	1	6



### EXTENSIONS

Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-JB25	9341231012709	1/2" BSP 10" HOLLOW EXTENSION	3	6
OX-JX15	9341231012716	HEX 6" EXTENSION (C/W ALLEN KEY)	3	6



### ADAPTOR PACKS

Product code	Barcode	Core Sizes (mm)	Inner Qty	Outer Qty
OX-JX03	5060135472771	HEX ADAPTOR PACK (JX01, JB09, JB05)	3	6
OX-JX03-13	5060135472788	HEX A TAPER DRILL ADAPTOR PACK (JX01, JB13, JB05)	3	6
OX-JS03	5060135472702	SDS ADAPTOR PACK (JS01, JB09, JB05)	3	6
OX-JS03-13	5060135472719	SDS A TAPER DRILL ADAPTOR PACK (JS01, JB13, JB05)	3	6
OX-JM03	5060135472399	SDS MAX ADAPTOR PACK (JM01, JB09, JB05)	3	6








## Wet Core Drills

### ULTIMATE UWC 1-1/4" UNC WET CORE

ULTIMATE wet diamond core drill for professional rig mounted use. 450mm drilling length. 10mm turbo segment height. Applications include: flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.



LASER WELDED SEGMENTS

CUTS REINFORCING

Product code	Barcode	Diameter (mm)	Length (mm)	Back end	3Inner Qty	Outer Qty
OX-UWC022-450	9341231005787	22	450	1 1/4" UNC	3	6
OX-UWC024-450	9341231001352	24	450	1 1/4" UNC	3	6
OX-UWC028-450	9341231005800	28	450	1 1/4" UNC	3	6
OX-UWC032-450	9341231005824	32	450	1 1/4" UNC	3	6
OX-UWC036-450	9341231005831	36	450	1 1/4" UNC	3	6
OX-UWC052-450	9341231005879	52	450	1 1/4" UNC	2	4
OX-UWC056-450	9341231005886	56	450	1 1/4" UNC	2	4
OX-UWC065-450	9341231005909	65	450	1 1/4" UNC	2	4
OX-UWC072-450	9341231005916	72	450	1 1/4" UNC	2	4
OX-UWC076-450	9341231005923	76	450	1 1/4" UNC	2	4
OX-UWC082-450	9341231005930	82	450	1 1/4" UNC	2	4
OX-UWC092-450	9341231005954	92	450	1 1/4" UNC	2	4
OX-UWC102-450	9341231005961	102	450	1 1/4" UNC	2	4
OX-UWC112-450	9341231005985	112	450	1 1/4" UNC	2	4
OX-UWC117-450	9341231005992	117	450	1 1/4" UNC	2	4
OX-UWC122-450	9341231006005	122	450	1 1/4" UNC	2	4
OX-UWC127-450	9341231006012	127	450	1 1/4" UNC	2	4
OX-UWC152-450	9341231006043	152	450	1 1/4" UNC	2	4
OX-UWC200-450	9341231006081	200	450	1 1/4" UNC	2	4

### ULTIMATE WET CORE ACCESSORIES



Tough, durable adaptors and extensions for wet core drilling.

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-JN55	9341231011771	1/2" BSP(M) - 1/2" BSP(M) ADAPTOR	3	6
OX-JN56	9341231011788	1/2" BSP(F) - 1/2" BSP(F) ADAPTOR	6	48
OX-JN65	9341231011795	1/2" BSP(M) - 1 1/4" UNC(M) ADAPTOR	3	6
OX-JN66	9341231011801	1/2" BSP(F) - 1 1/4" UNC(F) ADAPTOR	3	6
OX-JNHAD3	9341231011818	1/2" BSP(F) - HILTI DD100/130 ADAPTOR	3	6
OX-JN20	9341231011832	1 1/4" UNC 200mm HOLLOW EXTENSION	3	6
OX-JN30	9341231011849	1 1/4" UNC 300mm HOLLOW EXTENSION	3	6



## Tile Drills

### TRADE TTD DIAMOND HOLESAW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chucks. Recommended for use with water feed.


Product code	Barcode	Diameter (mm)	Inner Qty	Outer Qty
OX-TTD-06	9341231006319	6	20	120
OX-TTD-20	9341231006364	20	15	90
OX-TTD-25	9341231006371	25	10	60
OX-TTD-30	9341231006395	30	10	60
OX-TTD-32	9341231006401	32	10	60
OX-TTD-36	9341231006418	36	5	60
OX-TTD-45	9341231006432	45	5	40
OX-TTD-51	9341231006449	51	5	20
OX-TTD-63	9341231006463	63	7	28



### ULTIMATE JP WATER SWIVEL

Holesaw accessory options for accurate positioning and water cooling.

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-JP35	9341231036194	1/2" BSP(F) - Straight Shank Water Swivel	3	6



### ULTIMATE UTDH WET DIAMOND HOLESAW - HEX SHANK

Product code	Barcode	Diameter (mm)	Length (mm)	Shank (mm)	Inner Qty	Outer Qty
OX-UTDH-12	9341231020827	12	40	12	20	80
OX-UTDH-16	9341231020834	16	40	12	20	80
OX-UTDH-28	9341231020872	28	40	12	20	80
OX-UTDH-30	9341231006906	30	40	12	20	80
OX-UTDH-36	9341231020902	36	40	12	10	40
OX-UTDH-40	9341231006937	40	40	12	10	40
OX-UTDH-56	9341231020940	56	40	12	10	40
OX-UTDH-82	9341231020995	82	40	12	5	20
OX-UTDH-87	9341231021008	87	40	12	5	20
OX-UTDH-92	9341231021015	92	40	12	5	20
OX-UTDH-102	9341231007057	102	40	12	3	12
OX-UTDH-107	9341231021039	107	40	12	3	12
OX-UTDH-112	9341231021046	112	40	12	2	8
OX-UTDH-117	9341231021053	117	40	12	2	8
OX-UTDH-122	9341231021060	122	40	12	2	8





# Concreting Tools

**Concreting is hard work and the OX range has been developed to stand the test of time.**

Look at the detail of the products – the quality and thickness of the steel, the perfect amount of flexibility, the positioning of the handles, the quality of the riveting – the complete finish.

A tough range of trowels to cement your reputation.







## PRO ADJUSTABLE FORMWORK BRACKET

### FEATURES

- Bracket is adjustable to suit 35mm to 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P101950	9341231021336	35 - 50mm	6	12



## PRO FIXED FORMWORK BRACKET - 50MM

### FEATURES

- Bracket suits 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P103405	9341231024320	2" / 50mm	6	24



## TRADE TIE WIRE REEL

### FEATURES

- Fits any standard belt
- Suits all types of tie wire
- Left or right hand use
- Cast aluminium construction

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-T299701	9341231020230	Fits any standard belt	4	24



Suits OX Pro Leather Tool Belt  
page 150

## TRADE TIE WIRE TWISTER - 310mm

### FEATURES

- Soft grip
- Smooth operating spiral spindle
- Reinforcing ring to prevent unnecessary wear when hook end returns

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T230231	9341231020605	12" / 310mm	4	12





## Concreting Tools

### PRO TIE WIRE TWISTER - 310mm



#### FEATURES

- OXGRIP Handle
- Wear resistant bronze sleeve
- Leather re-coil 'stopper'
- Accurately machined spiral spindle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P230231	9341231010705	12" / 310mm	4	12

### ULTIMATE NARROW HEAD END CUTTING NIPPER



#### FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.2mm / Hardness (Jaw) 61 HRC – OX-U230322
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230325
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230328

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-U230322	9341231034916	8" / 220mm	6	36
OX-U230325	9341231034923	10" / 250mm	6	36
OX-U230328	9341231034930	11" / 280mm	6	36

### ULTIMATE WIDE HEAD END CUTTING NIPPER



#### FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.8mm / Hardness (Jaw) 60 HRC – OX-U230420

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-U230420	9341231034954	8" / 200mm	6	36



## PRO BOLT CUTTERS

### FEATURES

- Heat treated alloy jaws - fully adjustable and replaceable
- Rated to cut HRC40

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P230118	9341231021343	18" / 450mm	2	4
OX-P230124	9341231021350	24" / 600mm	2	4
OX-P230130	9341231021367	30" / 750mm	2	4
OX-P230136	9341231021374	36" / 900mm	2	4
OX-P230142	9341231021381	42" / 1050mm	2	4



## PRO FORGED BOLT CUTTERS

### FEATURES

- Alloy steel blade
- Drop forged handle
- Rated to cut HRC50

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P230530	9341231024351	30" / 750mm	2	4
OX-P230536	9341231024368	36" / 900mm	2	4




## TRADE REBAR BENDER/CUTTER

### FEATURES

- Jaws made of high carbon alloy tool steel - HRC54
- Cuts and bends grade 60 rebar
- Can be bolted to the floor
- Bends 90° and 180°
- Heavy duty
- Max cut 19mm Ø

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T230613	9341231000119	52" / 1320mm	2	6







## Concreting Tools




### TRADE CONCRETERS SHOVEL - HAMMERTONE

#### FEATURES

- Length: 1040mm
- 'D' grip handle
- Head size: 250mm x 300mm
- All steel, pressed and welded construction with a hammertone finish

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T281307	9341231016660	1040mm	6	24




### TRADE LIGHTWEIGHT EXTRUSION RAKE

#### FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Lightweight for ease of use
- Extruded rake plate

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T016301	9341231024443	100 x 500mm	4	24



### PRO ALUMINIUM CONCRETE RAKE

#### FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Braced for additional strength
- Aluminium construction - powder coated

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P016302	9341231024450	100 x 500mm	4	48




## PRO ALUMINIUM CONCRETE RAKE – WITH HOOK

### FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Braced for additional strength
- With 8mm diameter hook for lifting rebar
- Powder coated handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P016303	9341231024467	100 x 500mm	4	48




## PRO STRAIGHT EDGE

### FEATURES

- High quality extruded aluminium
- Easy to clean powder-coated finish
- Fluted profile - easy to grip extrusion design

Product code	Barcode	Size (W x H x L)	Inner Qty	Outer Qty
OX-P021612	9341231000386	20 x 70 x 1200mm	4	6
OX-P021615	9341231000393	20 x 70 x 1500mm	4	6
OX-P021618	9341231000409	20 x 70 x 1800mm	4	6
OX-P021621	9341231000416	20 x 70 x 2100mm	4	6
OX-P021624	9341231000423	20 x 70 x 2400mm	4	6
OX-P021627	9341231000430	20 x 70 x 2700mm	4	6
OX-P021630	9341231000447	20 x 70 x 3000mm	4	6
OX-P021636	9341231000454	20 x 70 x 3600mm	4	6



End view

## PRO STRAIGHT EDGE SPARE PARTS

### FEATURES

- High quality plastic moulded end caps
- End Cap Set – (2pc)


Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P029801	9341231021718	Straight Edge	3	6





## Concreting Tools

### PRO CLAMPED HANDLE SCREED




#### FEATURES

- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder-coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P021412	9341231000188	1200mm	4	6
OX-P021415	9341231000195	1500mm	4	6
OX-P021418	9341231000201	1800mm	4	6
OX-P021421	9341231000218	2100mm	4	6
OX-P021424	9341231000225	2400mm	4	6
OX-P021427	9341231000232	2700mm	4	6
OX-P021430	9341231000249	3000mm	4	6
OX-P021436	9341231000256	3600mm	4	6

### PRO CLAMPED HANDLE SCREED WITH VIAL



#### FEATURES



- Built in vial for easy levelling
- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder-coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P021312	9341231000973	1200mm	4	6
OX-P021315	9341231000980	1500mm	4	6
OX-P021318	9341231000997	1800mm	4	6
OX-P021321	9341231001000	2100mm	4	6
OX-P021324	9341231001017	2400mm	4	6
OX-P021327	9341231001024	2700mm	4	6
OX-P021330	9341231001031	3000mm	4	6
OX-P021336	9341231001048	3600mm	4	6





## PRO SCREED SPARE PARTS

### FEATURES

- OX-P021901 suits clamped handle screed
- OX-P021902 suits clamped handle screed with vial

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P021901	9341231021640	Handle	2	4
OX-P021902	9341231021657	Handle with vial	2	4

- OX-P021904 suits clamped screed handle

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P021904	9341231021671	Clamp Set - (2)	3	6

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P021906	9341231021695	End Cap Set - (2) Screed	3	6
OX-P021907	9341231021701	End Cap Set - (2) Handle	3	6




## PRO ALUMINIUM BULLFLOAT

### FEATURES

- Heavy duty structural alloy
- Easy to clean powder coated finish
- Extruded ribs for extra strength

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P016606	9341231000928	150 x 600mm	2	4
OX-P016609	9341231000935	150 x 900mm	2	4
OX-P016612	9341231000942	150 x 1200mm	2	4



## PRO ALUMINIUM BULLFLOAT – MILL FINISH

### FEATURES

- Heavy duty structural alloy
- Mill finish for perfect finishing
- Extruded ribs for extra strength

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P016406	9341231024481	150 x 600mm	2	4
OX-P016409	9341231024498	150 x 900mm	2	4
OX-P016412	9341231024504	150 x 1200mm	2	4
OX-P016415	9341231024511	150 x 1500mm	2	4
OX-P016418	9341231024528	150 x 1800mm	2	4





## Concreting Tools

### PRO REPLACEMENT TILT MECHANISM



#### FEATURES

- Suits the powder-coated and milled finished bullfloats

Product code	Barcode	Inner Qty	Outer Qty
OX-P029601	9341231021633	3	6

### PRO TELESCOPIC HANDLE



#### FEATURES

- Powder coated finish
- Fluted profile
- H.D.P.E screw-lock fitting
- "T" section "Twist Stop" extrusion design
- High quality extruded aluminium
- Comes with universal adaptor included

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P016524	9341231000829	1300 - 2400mm	4	12
OX-P016550	9341231000836	2700 - 5000mm	4	12

### PRO TELESCOPIC HANDLE PARTS




#### FEATURES

- Suits OX-P016524 and OX-P016550

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P019501	9341231021626	Replacement Plastic Collet / End Cap	6	12
OX-P019710	9341231013591	Replacement Quick Release Pin	12	36
OX-P409901	9341231015854	Telescopic Handle Adaptor		

### PRO CLIP TOGETHER HANDLE




#### FEATURES

- High quality extruded aluminium
- Snap together for fast tool changes

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P019020	9341231024573	1800mm	4	12
OX-P019024	9341231025938	2400mm	4	12

### PRO CLIP TOGETHER HANDLE ADAPTERS



#### FEATURES

- High quality extruded aluminium
- Available to suit all major manufacturers

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P019101	9341231024580	OX Male fitting	6	12
OX-P019102	9341231024597	OX Female fitting	6	12



## PRO NARROW GROOVER

### FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm  
Depth 3/8" 10mm (OX-P014210), 3/4" 19mm (OX-P014219)

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014210	9341231011269	3 x 7" / 75 x 180mm	6	36
OX-P014219	9341231011276	3 x 7" / 75 x 180mm	6	24



## PRO WIDE GROOVER

### FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm Depth 1/2" 12mm (OX-P014312), 25/32" 20mm (OX-P014320)

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014312	9341231011283	6 x 7" / 155 x 180mm	4	16
OX-P014320	9341231011290	6 x 7" / 155 x 180mm	6	18



## PRO GROOVER

### FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 3/16" 4.8mm Depth 3/8" 10mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012510	9341231021428	3 1/2 x 6" / 90 x 150mm	6	24



## TRADE NARROW EDGER

### FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle
- Blade size: 6 x 3" / 150 x 75mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-T016806	9341231010330	6mm, 12mm	6	48
OX-T016810	9341231010347	10mm, 19mm	6	48







## Concreting Tools

### TRADE MEDIUM EDGER



#### FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle
- Blade size: OX-T016906 – 4 x 5" / 100 x 150mm
- Blade size: OX-T016910 – 4 x 5" / 100 x 150mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-T016906	9341231010361	6mm, 19mm	6	36
OX-T016910	9341231010378	10mm, 14mm	6	36

### TRADE WIDE EDGER



#### FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle
- Blade size: OX-T017012 – 7 x 4 1/4" / 175 x 112mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-T017012	9341231010385	12mm, 22mm	6	36

### PRO NARROW EDGER



#### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 3 x 7" / 75 x 180mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P014406	9341231011092	6mm, 12mm	6	36
OX-P014410	9341231011108	10mm, 19mm	4	32



## PRO MEDIUM EDGER

### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 4 x 7" / 100 x 180mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P014506	9341231011115	6mm, 14mm	6	36
OX-P014510	9341231011122	10mm, 14mm	4	32
OX-P014519	9341231011139	19mm, 19mm	6	36



## PRO WIDE EDGER

### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 5 x 7½" / 130 x 190mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P014812	9341231011146	12mm, 22mm	6	24
OX-P014820	9341231011153	20mm, 22mm	6	24
OX-P014825	9341231011160	25mm, 22mm	6	24



## PRO EXTRA WIDE EDGER

### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 5¾ x 8½" / 145 x 215mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P014910	9341231011306	10mm, 12mm	6	24
OX-P014912	9341231011177	12mm, 24mm	6	24
OX-P014916	9341231011313	16mm, 16mm	4	16
OX-P014925	9341231011184	25mm, 24mm	6	24





## Concreting Tools



### PRO STEP EDGER

#### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 4 x 7" / 100 x 180mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P015110	9341231011191	10mm, 50mm	6	24



### PRO SAFETY STEP EDGER

#### FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle - rivetted handle support
- Cuts 4 grooves while edging the step
- Blade size: 5x7" / 120 x 180mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P019312	9341231024689	10mm, 50mm	6	24



### PRO COVING TROWEL

#### FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle - rivetted handle support
- Blade size: 4 x 7" / 100 x 180mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P015010	9341231021435	4 x 7" / 100 x 180mm	6	24



### PRO TIMBER FLOAT

#### FEATURES

- OXGRIP 'High lift' handle design
- High quality hardwood blade
- Special timber screws to prevent 'backing out'

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012212	9341231013034	4½ x 12" / 112 x 300mm	4	16
OX-P012215	9341231013461	4½ x 15" / 112 x 380mm	4	16
OX-P012218	9328217006976	4½ x 18" / 112 x 450mm	6	24
OX-P012318	9341231020322	2½ x 18" / 50 x 450mm	6	36
OX-P012324	9328217006990	2½ x 24" / 65 x 600mm	6	24





## PRO SPINNER FLOAT

### FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014112	9341231021206	4 3/4 x 11 1/2" / 120 x 290mm	4	24
OX-P014114	9341231021213	5 3/4 x 8" / 145 x 215mm	6	36



## PRO ALL SIDES UP FLOAT

### FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013910	9341231020452	4 x 11 1/2" / 100 x 290mm	6	18
OX-P013916	9341231020469	6 1/4 x 8 1/4" / 160 x 210mm	6	18



## PRO ALL SIDES UP FLOAT

### FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013938	9341231020476	6 x 15" / 150 x 380mm	6	12



## PRO MAGNESIUM FLOAT – OXGRIP HANDLE

### FEATURES

- Heavy duty magnesium blade
- Bevelled ends and rounded corners
- Ergonomic DURAGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P017012	9341231024900	3 x 12" / 80 x 300mm	4	12
OX-P017016	9341231011030	3 x 16" / 80 x 400mm	4	12
OX-P017020	9341231011047	3 x 20" / 80 x 500mm	4	12





## Concreting Tools



### PRO MAGNESIUM FLOAT – ROUNDED ENDS

#### FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Fully rounded ends helps prevent float marks

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P400416	9341231024917	3 x 8" / 80 x 400mm	4	12



### PRO MAGNESIUM FLOAT – WIDE BLADE

#### FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Wide blade wears longer

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P400517	9341231024924	3½ x 16" / 90 x 400mm	4	12



### TRADE POINTED FINISHING TROWEL

#### FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T017309	9341231010446	4 x 14" / 100 x 335mm	4	32
OX-T017301	9341231010453	4½ x 14" / 120 x 356mm	6	24
OX-T017391	9341231010460	4½ x 16" / 115 x 405mm	4	24
OX-T017392	9341231010477	4½ x 17¾" / 115 x 450mm	6	24



### PRO POINTED FINISHING TROWEL

#### FEATURES

- High grade stainless steel blade
- Heavy duty aluminium shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014609	9341231011214	4 x 14" / 100 x 355mm	4	24
OX-P014601	9341231011207	4¾ x 14" / 120 x 356mm	6	24
OX-P014691	9341231011238	4½ x 16" / 115 x 405mm	4	16
OX-P014692	9341231011245	4½ x 17¾" / 115 x 450mm	4	16
OX-P014693	9341231011252	4½ x 19½" / 115 x 500mm	4	16
OX-P014665	9341231011221	4½ x 24" / 115 x 600mm	6	24



## PRO POOL TROWEL – FLEXIBLE

### FEATURES

- Heavy duty aluminium shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P015712	9341231013744	4 x 11¾" / 100 x 300mm	6	36
OX-P015714	9341231013751	4 x 14" / 100 x 356mm	6	36
OX-P015718	9341231013768	4 x 18" / 100 x 457mm	6	24



## PRO POOL TROWEL – RIGID

### FEATURES

- Heavy duty aluminium shank
- OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P015818	9341231013782	4½ x 17¾" / 110 x 450mm	6	24



## PRO SQUARE FINISHING TROWEL

### FEATURES

- Heavy duty aluminium shank
- Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014702	9341231013799	4¾ x 11" / 120 x 280mm	6	24
OX-P014773	9341231013805	4¾ x 14" / 120 x 356mm	6	24
OX-P014781	9341231013812	4½ x 16" / 115 x 405mm	6	24







## Concreting Tools

### PRO WIDE WALKING EDGER



#### FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Complete with fixed walking bracket
- Blade size: 5½ x 6¼" / 140 x 160mm

Product code	Barcode	Radius / Depth	Inner Qty	Outer Qty
OX-P401310	9341231025051	10mm, 12mm	6	32
OX-P401316	9341231025068	16mm, 18mm	6	36
OX-P401320	9341231025075	20mm, 20mm	6	36

### PRO NARROW WALKING GROOVER



#### FEATURES

- High grade stainless steel blade
- Complete with fixed walking bracket
- Groove: Width 5/8" - 5/16" 15-8mm
- Depth ¾" 19mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P401203	9341231025044	3 x 6 ¼" / 75 x 160mm	6	36

### PRO WIDE WALKING GROOVER



#### FEATURES

- High grade stainless steel blade
- Complete with fixed walking bracket
- Groove: Width 5/8" - 5/16" 15-8mm
- Depth ¾" 19mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P401206	9341231025037	6 x 6" / 150 x 160mm	6	36

### PRO WALKING FLOAT



#### FEATURES

- High grade stainless steel blade
- Complete with fixed standing bracket

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P401416	9341231025099	6¼ x 8¼" / 160 x 210mm	5	15
OX-P401438	9341231025105	6 x 15" / 150 x 380mm	5	10



## PRO FIXED BRACKET WALKING TROWEL

### FEATURES

- Complete with fixed bracket
- High grade stainless steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P402760	9341231034374	4 1/4 x 24" / 120 x 600mm	2	6
OX-P402790	9341231034381	4 1/4 x 36" / 120 x 900mm	2	6



## PRO ROTATING BRACKET WALKING TROWEL

### FEATURES

- Complete with Fresno Bracket
- High grade stainless steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P402860	9341231034398	4 1/4 x 24" / 120 x 600mm	2	6
OX-P402890	9341231034404	4 1/4 x 36" / 120 x 900mm	2	6



## PRO TILT BRACKET WALKING TROWEL

### FEATURES

- Complete with tilt bracket
- High grade stainless steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P402960	9341231034411	4 1/4 x 24" / 120 x 600mm	2	6
OX-P402990	9341231034428	4 1/4 x 36" / 120 x 900mm	2	6



## PRO WALKING TROWEL STANDING BRACKET

### FEATURES

- Zinc plated steel
- Fully adjustable
- 25mm Ø Fitting

Product code	Barcode	Inner Qty	Outer Qty
OX-P016203	9341231021589	6	36





## Concreting Tools

### PRO WALKING TROWEL MECHANISM



#### FEATURES

- Zinc plated steel
- Fully adjustable
- 25mm Ø Fitting

Product code	Barcode	Inner Qty	Outer Qty
OX-P016201	9341231021596	6	48
OX-P016202	9341231021602	6	60
OX-P016204	9341231021619	6	24

### PRO 750MM H/D FLOOR SQUEEGEE HEAD



#### FEATURES HEAD ONLY

- Red neoprene - excellent resistance to salt acids, gasoline, fats, grease, etc.
- Rust resistant galvanised steel frame, etc.
- Splash guard and reinforced handle socket
- Parallel fitting: 25mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250575	9341231013904	29½" x 750mm	4	12

### PRO TRADITIONAL FLOOR SQUEEGEE



#### FEATURES

- Hard rubber blade & pre-galvanised steel frame
- Tapered fitting
- Fitting: 27-20mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250691	9341231013911	36" / 910mm	4	12

### PRO CONCRETE FINISHING BROOM



#### FEATURES

- Cast aluminium back
- Premium fibre bristles
- Complete with adaptor to suit telescopic handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P060390	9341231021497	36" / 900mm	2	6



## PRO RUB BRICK

### FEATURES

- Fluted silicone carbide
- Contoured one piece plastic handle
- New Rub Brick Size

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P071008	9341231025181	6"x3"x1" / 150x75x25mm	6	12



## TRADE KNEELING BOARD

### FEATURES

- One piece base - with built in extra grip handles
- One piece foam
- Firm foam for greater knee support

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T240300	9341231001284	350 x 480mm	10	20



## PRO MANUAL BACKPACK SPRAYER - 15L

### FEATURES

- Operating Pressure 0.2 - 0.4 Mpa (30-58 Psi)
- Viton Equipped Seals
- Comfortable Padded Shoulder Harness

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P044715	9341231038839	15L	4	12







## Concreting Tools

### PRO INDUSTRIAL CONCRETE SPRAYER - 13.2L

#### FEATURES

- Stainless steel heavy duty pump
- Stainless steel spray wand
- Stainless steel tank
- Flexible heavy duty chemical resistant hose
- Superior lock-on trigger assembly
- Ergonomic pump handle
- Genuine OXSeals equipped
- Wide mouth opening for easy filling & cleaning
- Holster for wand & nozzle storage




Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P040713	9341231014413	13.2L	20	40





## PRO CONCRETE SPRAYER REPLACEMENT PARTS LIST



### PARTS LIST

1. TANK
2. WAND HOLSTER
3. INLET TUBE
4. O RING SEAL
5. NUT
6. O RING SEAL
7. HOSE
8. END CAP
9. PLASTIC FILTER
10. O RING SEAL
11. END CAP
12. O RING SEAL
13. SPRING
14. SPINDLE
15. O RING SEAL
16. O RING SEAL
17. O RING SEAL
18. HANDLE HOUSING & TRIGGER
19. O RING SEAL
20. WAND
21. O RING SEAL
22. NOZZLE
23. RELIEF VALVE
24. PUMP HANDLE D PLUNGER
25. BRASS WASHER
26. WASHER
27. GASKET
28. BARREL
29. CHECK VALVE

Product code	Description	Parts Included
OX-P049301	OX Brass Fan Nozzle - 1.0 GPM (3.8LPM)	22
OX-P049302	OX 600mm Stainless Steel Spray Wand	19, 20 & 21
OX-P049303	OX Trigger Assembly	8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 18
OX-P049304	OX 1200mm Chemical Resistant Hose with Connections	6 & 7
OX-P049305	OX Genuine OXSeal and Gasket Kit	4, 6, 10, 12, 15, 16, 17, 19, 21, 25, 26, 27 & 29
OX-P049306	OX Stainless Steel Pump Assembly	24, 25, 26, 27, 28 & 28
OX-P049307	OX Plunger Assembly	24 & 25
OX-P049310	OX Supply Tube Assembly	3, 4 & 5



## Concreting Tools

### TRADE REPLACEMENT BLADES – STYLE 1 COMBINATION BLADE SET (4)



#### FEATURES

- Suitable for 34" machines
- 3/8" BSW threads
- Heat treated - for better wear
- Boxed for easy storage

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181401	9341231000720	2	322x187mm	1	1

Suits: Master Finish 34" / Coates 34" / Cromellins 34" / Flextool 34"

### TRADE REPLACEMENT BLADES – STYLE 2 COMBINATION BLADE SET (4)




#### FEATURES

- Suitable for 40" machines
- 3/8" BSW threads
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181402	9341231000737	3	375x202mm	1	1

Suits: OX-PT40 / Master Finish 40" / Cromellins 40" / Flextool 40"

### TRADE REPLACEMENT BLADES – STYLE 3 COMBINATION BLADE SET (4)



#### FEATURES

- Suitable for 46" & 48" machines
- 5/16" UNC threads
- 12 x replacement square head bolts included
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181403	9341231000744	6	450x187mm	1	1

Suits: OX-PT46 / Master Finish 48" / Flextool 46" / Wackers 46" / Bartell 46"

### TRADE REPLACEMENT BLADES – STYLE 4 COMBINATION BLADE SET (4)



#### FEATURES

- Suitable for 34" machines
- 16 x replacement square head bolts and locking nuts included
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181404	9341231000751	3	322x187mm	1	1

Suits: Master Finish 34"

### TRADE REPLACEMENT BLADES – STYLE 5 COMBINATION BLADE SET (4)



#### FEATURES

- Suitable for 40" machines
- 16 x replacement square head bolts and locking nuts included
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181405	9341231000768	4	375x200mm	1	1

Suits: Master Finish 40"




## TRADE REPLACEMENT BLADES – STYLE 6 COMBINATION BLADE SET (4)

### FEATURES

- Suitable for 34" & 36" machines
- 5/16" UNC threads
- 8 x replacement bolts

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181406	9341231000775	3	355x187mm	1	1

Suits: OX-PT34 / Suits: OX-PT36 / Flextool 36" / Wackers 36" / Bartell 36" / Bartell 40"



## TRADE REPLACEMENT BLADES – STYLE 7 FINISHING BLADE SET (4)

### FEATURES

- Suitable for 46" & 48" machines
- Heat treated - for better wear
- 5/16" UNC threads

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181407	9341231000782	6	455x152mm	1	1

Suits: OX-PT46 / Master Finish 48" / Flextool 46" / Wackers 46" / Bartell 46"



## TRADE REPLACEMENT BLADES – STYLE 8 FINISHING BLADE SET (4)

### FEATURES

- Suitable for 40" machines
- Heat treated - for better wear
- 3/8" BSW threads

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181408	9341231000799	3	375x152mm	1	1

Suits: OX-PT40 / Master Finish 40" / Flextool 40" / Cromellins 40"



## TRADE REPLACEMENT BLADES – STYLE 9 FINISHING BLADE SET (4)

### FEATURES

- Suitable for 36" machines
- Heat treated - for better wear
- 5/16" UNC threads

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181409	9341231000805	3	375x152mm	1	1

Suits: OX-PT34 / OX-PT36 / Flextool 36" / Wackers 36" / Bartell 36"



## TRADE REPLACEMENT BLADES – STYLE 10 FINISHING BLADE SET (4)

### FEATURES

- Suitable for 24" edging machines
- Heat treated - for better wear
- M16 threads

Product Code	Barcode	No. of Threaded Holes	Size	Inner Qty	Outer Qty
OX-T181410	9341231000812	2	230x120mm	1	1







# Bricklaying Tools

**Bricklaying is a highly skilled trade and is characterised by regional variations in both brick size/shape & laying techniques.**

We have spent 46 years 'Living the trade' with bricklayers & liaising with training institutions around the world to ensure our products are second to none.

From the strength of the forged steel to the perfect weight & balance – these tools symbolise quality. Guaranteed better than the rest!





Precision ground tapered blade

One Piece Fully Forged for Ultimate Strength

Fully Thermoplastic Rubber (TPR)

Perfectly Balanced Handle and Blade

Well balanced & perfect flexibility

New Ergonomically Designed OXGRIP Handle

Indestructible End Cap for longer lasting wear



## Bricklaying Tools

### PRO POINTING TROWEL



#### FEATURES

- OXGRIP handle
- Welded shank
- Precision taper ground blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013606	5060242330308	2 3/4" x 6" / 70 x 152mm	4	48

### PRO GAUGING TROWEL



#### FEATURES

- Welded shank
- Precision taper ground blade
- OXGRIP handle
- 'S' style shank - will 'hang' on the side of a bucket

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011407	5060242330261	3 1/2 x 7" / 88 x 178mm	6	60
OX-P011408	9341231010804	3 1/2 x 8" / 95 x 203mm	6	60

### PRO BRICK TROWEL – PHILADELPHIA



NEW  
HANDLE

#### FEATURES

- New Ergonomically Designed OXGRIP Handle
- Fully Thermoplastic Rubber (TPR)
- Indestructible End Cap for longer lasting wear
- Perfectly Balanced Handle and Blade
- Blade Forged, Heat Treated and Ground from One Piece of Steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011212	5060242330629	12" / 300mm	4	24

### PRO BRICK TROWEL – LONDON



NEW  
HANDLE

#### FEATURES

- New Ergonomically Designed OXGRIP Handle
- Fully Thermoplastic Rubber (TPR)
- Indestructible End Cap for longer lasting wear
- Perfectly Balanced Handle and Blade
- Blade Forged, Heat Treated and Ground from One Piece of Steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011112	9341231020445	12" / 300mm	4	24



## PRO BRICK TROWEL - LONDON WITH DURAGRIP HANDLE

### FEATURES

- Quality carbon steel blade
- OXGRIP handle
- Welded shank

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010312	9341231022036	6 x 12" / 150 x 302mm	6	36



## PRO STEEL BRICK JOINTER

### FEATURES

- OXGRIP handle
- High quality bright steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P030312	9341231013263	495 x 12mm	4	24



## PRO MARGIN TROWEL

### FEATURES

- High quality carbon steel
- Flat rectangular blade
- OXGRIP handle for extreme comfort
- Precision tapered ground blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013416	9341231014321	2" x 6" / 50 x 150mm	4	12



## PRO MORTAR SMOOTHING TOOL

### FEATURES

- OXGRIP handle
- Bright steel finish
- One piece spring steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011506	9341231013522	285 x 6mm	6	60
OX-P011508	9341231013249	285 x 8mm	6	60
OX-P011510	5060242330346	285 x 10mm	6	60



## PRO SPOON JOINTER

### FEATURES

- High quality carbon steel
- One piece spring steel

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P030813	9341231004834	3/8 & 1/2" / 10 & 13mm	4	72
OX-P030816	9341231011375	1/2 & 5/8" / 13 & 16mm	4	72
OX-P030819	9341231034329	5/8 & 3/4" / 16 & 19mm	4	72







## Bricklaying Tools

### PRO FLEXIGLASS BRICK JOINTER



#### FEATURES

- OXGRIP handle
- One piece moulded acrylic
- Non stain acrylic for rolled joints
- Used for light coloured mortar - doesn't burn

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P030210	9341231022043	495 x 10mm	4	24
OX-P030212	9341231022050	495 x 12mm	4	24

### PRO NON STAIN ROLL JOINTER



#### FEATURES

- Made from hardened acrylic material
- Will not mark or discolour white mortar
- 230mm in length
- Chamfered end

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P031209	9341231037580	25 x 230mm	5	35

### PRO POLY WHEEL ROLLER RAKER



#### FEATURES

- OXGRIP handle
- Adjustable rake depth
- Zinc plated
- Steel frame


Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P030501	9341231020285	220 x 93mm	6	36



## PRO RUBBERISED PLASTIC LINE BLOCK - PAIR

### FEATURES

- One piece
- Rubberised OXGRIP



Product code	Barcode	Pack Qty	Size	Inner Qty	Outer Qty
OX-P101502	9341231001239	2	75 x 65 x 57mm	12	40

## PRO RUBBER LINE BLOCK - 40PK

### FEATURES

- High impact plastic
- High visibility blue colour



Product code	Barcode	Pack Qty	Size	Inner Qty	Outer Qty
OX-P101801-40	9341231018213	40	61 x 41 x 35mm	1	10

## PRO BRICK CARRIER

### FEATURES

- OXGRIP handle
- Adjustable
- Heavy duty construction
- Holds 8 - 12 bricks
- Lift Capacity 45kg



Product code	Barcode	Jaw Capacity	Inner Qty	Outer Qty
OX-P170350	9341231020254	400 - 500mm	4	12

## PRO LIMESTONE BLOCK CARRIER

### FEATURES

- Ergonomic Rubber Hand Grip
- Adjustable Spacings to Suit Different Block Sizes
- Lugs for Extra Grip



Product code	Barcode	Jaw Capacity	Inner Qty	Outer Qty
OX-P170701	9341231014635	500mm	4	8



## Bricklaying Tools

### PRO DUTCH PIN - SWIVEL

#### FEATURES

- Semi-round swivel arm
- Solid forged and hardened
- Made from special high quality steel
- Galvanised
- 100 x 150mm



Product code	Barcode	Pack Qty	Inner Qty	Outer Qty
OX-P100715	9341231013621	4	4	16

### PRO DUTCH PIN - FIXED

#### FEATURES

- Semi-round fixed arm
- Solid forged and hardened
- Made from special high quality steel
- Galvanised
- 100 x 150mm



Product code	Barcode	Pack Qty	Inner Qty	Outer Qty
OX-P100615	9341231013614	4	4	16

### PRO LINE PIN

#### FEATURES

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges – drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention



Product code	Barcode	Pack Qty	Inner Qty	Outer Qty
OX-P100101	9341231013935	1	50	200

### TRADE STRING LINE - 8 GAUGE

#### FEATURES

- Tough synthetic high tensile strength (42.8kg / 855 Tex)
- Ideal for brick and block laying
- Flexible plastic spool



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T102805	9341231013102	Fluro Lime / 50m	12	48
OX-T102810	9341231013119	Fluro Lime / 100m	12	48
OX-T102905	9341231013126	Fluro Pink / 50m	12	48
OX-T102910	9341231013133	Fluro Pink / 100m	12	48



## TRADE STRING LINE - 12 GAUGE

### FEATURES

- Tough synthetic high tensile strength (66.5kg / 1345 Tex)
- Ideal for layout work, brick and block laying
- Flexible plastic spool



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T103210	9341231013294	Fluoro Lime / 100m	12	48

## TRADE SCRUB BRUSH – TIMBER STOCK

### FEATURES

- Quality smooth timber block
- Yellow crimped poly bristles

Product code	Barcode	Bristle Area	Inner Qty	Outer Qty
OX-T061001	9341231022449	65 x 190mm	6	24



## TRADE BRICKIES BRUSH – DYED COCO FIBRE

### FEATURES

- Quality smooth timber block
- Black dyed coco fibre bristles

Product code	Barcode	Bristle Area	Inner Qty	Outer Qty
OX-T060701	9341231022463	70 x 300mm	6	24



## TRADE BRICKIES BRUSH – POLY FIBRE

### FEATURES

- Quality smooth timber block
- Black poly fibre bristles

Product code	Barcode	Bristle Area	Inner Qty	Outer Qty
OX-T060601	9341231022456	70 x 300mm	6	24







## Bricklaying Tools

### PRO SLIDING PROFILE CLAMP



#### FEATURES

- Zinc plated solid steel
- 'T' bolt/thumb screw
- Thread length 80mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P101213	9341231021527	330mm	6	24
OX-P101222	9341231021534	560mm	6	18

### PRO TOP STEADY NAIL-ON (VENEER) CLAMP SET



#### FEATURES

##### Bar & Clamp Set

- Zinc plated solid steel
- OXGRIP 'T' bolt/thumb screw
- New improved clamping system

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P101002	9341231021503	4 Piece Bar & Clamp Set	6	24

### PRO TOP STEADY NAIL-ON (FULL BRICK) CLAMP SET



#### FEATURES

##### Bar & Clamp Set

- Zinc plated solid steel
- OXGRIP 'T' bolt/thumb screw
- New improved clamping system

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P101001	9341231022258	4 Piece Bar & Clamp Set	6	12

### PRO TOP STEADY BAR



#### FEATURES

- Zinc plated
- Suits OX-P101001 or OX-P101002

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P101080	9341231021510	300 x 800mm	4	12



## PRO BRICKLAYERS CLAMP

### FEATURES

- Ideal for clamping profiles through double brick props/coarsing

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P200312	9341231015533	50 x 300mm	10	40



## PRO 'T' PROFILE CLAMP

### FEATURES

- Zinc plated solid steel
- OXGRIP 'T' bolt/thumb screw
- Thread length 80mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P101716	9341231022180	150mm	6	72



## PRO PROFILE CLAMP

### FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P100302	9341231013829	50mm	6	48
OX-P100307	9341231020216	180mm	6	36
OX-P100312	9341231020223	300mm	4	24



## PRO HEAVY DUTY PROFILE POLE

### FEATURES

- Durable galvanised steel
- Fine precise lines
- Reversible, two-sided markings
- Number of courses 33
- Professionally marked with the latest technology automatic machine

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P102432	9341231034060	2.83m	12	48



## PRO PROFILE PROP

### FEATURES

- Professional quality
- Steel heavy duty wing bolt
- High adjustable telescopic arm
- Galvanised steel construction
- Suits OX-P102432 (2 props per profile pole often used)

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P100501	9341231022289	2.83-3.50 meters	12	48





# Plastering & Rendering Tools

**No trades are as demanding on the design of its tools as the plastering & rendering trade.**

Many tools look the same, but the OX Range has been tried and tested by tradesmen and offers unmatched quality.

OX tools do what you want them to do, over and over again.

A tough, durable design for the professional plasterer  
– you'll probably wear out before they do!





## PRO SMALL TOOL

### FEATURES

- Precision taper ground and tempered
- One piece solid drop forged from high quality carbon steel

Product code	Barcode	Width	Inner Qty	Outer Qty
OX-P010113	5060242330452	13mm	6	120
OX-P010116	5060242330469	16mm	6	120
OX-P010119	5060242330476	19mm	6	120
OX-P010125	5060242330483	25mm	6	120



## PRO INTERNAL CORNER TROWEL

### FEATURES

- OXGRIP handle
- Sturdy aluminium shank with strong mounting
- High quality stainless steel blade - will flex to form perfect 90° corners

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013001	5060242330490	102 x 127mm	6	60



## PRO JOINT KNIFE

### FEATURES

- Ergonomic OXGRIP handle
- High quality flexible stainless steel blade
- Full length tang-blade continues through handle to a built-in hammer end

Product code	Barcode	Square End Width	Inner Qty	Outer Qty
OX-P013203	5060242330438	32mm	4	12
OX-P013205	5060242330421	50mm	4	12
OX-P013207	5060242330414	76mm	12	144
OX-P013210	5060242330407	102mm	12	144
OX-P013212	5060242330391	127mm	4	12
OX-P013215	5060242330384	152mm	4	12



## PRO TAPING KNIFE

### FEATURES

- Strong aluminium back
- Ergonomic OXGRIP handle
- High quality flexible stainless steel blade

Product code	Barcode	Square End Width	Inner Qty	Outer Qty
OX-P013320	9341231001192	200mm	12	72
OX-P013325	9341231010781	250mm	12	72
OX-P013330	9341231010798	300mm	12	72




## PRO SMALL INTERNAL CORNER TROWEL

### FEATURES

- Sharp 90° Blade
- Ideal for finishing hard-wall plaster

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P408205	9341231015502	50 x 70mm	6	48







## Plastering & Rendering Tools



### PRO EXTERNAL CORNER TROWEL - SMALL

#### FEATURES

- Stainless steel blade
- Ergonomic handle
- Blade angle 90° / blade radius 5r

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-P015305	9341231021251	26 x 65mm (radius 5r)	6	72



### PRO EXTERNAL CORNER TROWEL - MEDIUM

#### FEATURES

- Stainless steel blade
- Ergonomic handle
- Blade angle 90° / blade radius 8r

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-P015408	9341231021268	40 x 65mm (radius 8r)	6	72



### PRO EXTERNAL CORNER TROWEL - LARGE

#### FEATURES

- Stainless steel blade
- Ergonomic handle
- Blade angle 90° / blade radius 5r (OX-P015505)
- Blade angle 90° / blade radius 8r (OX-P015508)

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P015505	9341231021275	55 x 65mm (radius 5r)	6	48
OX-P015508	9341231021282	55 x 65mm (radius 8r)	6	48



### TRADE FINISHING TROWEL – TIMBER HANDLE

#### FEATURES

- Carbon steel blade
- Aluminium shank
- Ergonomic timber handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T017211	9341231036323	115 x 280mm	6	24
OX-T017214	9341231022791	120 x 356mm	6	24



### TRADE FINISHING TROWEL – RUBBER HANDLE

#### FEATURES

- Carbon steel blade
- Aluminium shank
- Ergonomic rubber grip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T010911	9341231022807	115 x 280mm	6	36
OX-T010914	9341231022814	120 x 356mm	4	24



## PRO FINISHING TROWEL

### FEATURES

- High quality tempered steel blade
- Lightweight aluminium shank
- Handle position set for perfect balance
- Extended OXGRIP handle designed for increased comfort
- Fully riveted shank
- Cross ground blade - for reduced drag and quicker break-in time

### CARBON STEEL

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010911	9341231021084	120 x 280mm	4	24
OX-P010914	5060242330582	120 x 356mm	6	24



CARBON STEEL

## PRO ULTRAFLEX FINISHING TROWEL

### FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P530111	5060359916310	11" / 280 x 110mm	1	6
OX-P530114	5060359916327	14" / 35x12x12	1	6



## PRO GOLDEN STEEL FINISHING TROWEL

### FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminium shank
- Handle set for perfect balance
- Fully riveted shank
- DURAGRIP handle for ultimate comfort

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P407311	9341231038822	114mm x 280mm	6	36
OX-P407314	9341231038280	127mm x 356mm	6	24



## PRO RED TEXTURE FINISHING TROWEL

### FEATURES

- Red PVC blade
- Ergonomic OXGRIP handle


Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P408511	9341231015847	130 x 280mm	10	40





## Plastering & Rendering Tools

### PRO ALUMINIUM HAWK



#### FEATURES

- OXGRIP handle
- High quality, lightweight and tempered aluminium blade mounted with 8 rivets for extra strength
- Machined Blade to prevent mortar from sliding off and aluminium from bowing or bending

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010513	5060242330377	330 x 330mm	4	24

### TRADE PLASTER HAWK



#### FEATURES

- Lightweight and tempered aluminium blade
- Mounted with 4 rivets for extra strength
- Sponge rubber callous preventer
- High quality duragrip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T535213	9341231042973	330 x 330mm	4	12

### PRO SQUARE FRONT TROWEL



#### FEATURES

- OXGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013718	5060242330506	7" / 180mm	4	32
OX-P013720	9341231022517	7 7/8" / 200mm	6	36



## PRO RECTANGULAR PLASTIC FLOAT

### FEATURES

- High strength ABS plastic
- Diamond patterned base

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012127	9341231001796	180 x 270mm	4	12
OX-P012144	9341231022647	140 x 440mm	4	12
OX-P012135	9341231010767	270 x 350mm	4	12
OX-P012142	9341231022654	260 x 420mm	4	12




## PRO POINTED PLASTIC FLOAT

### FEATURES

- High strength ABS plastic
- Diamond patterned base

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012027	9341231022630	140 x 270mm	4	12



## PRO RECTANGULAR POLYSTYRENE FLOAT

### FEATURES

- High quality polystyrene
- One piece moulded

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012814	9341231020308	140 x 260mm	4	12
OX-P012818	9341231020315	180 x 320mm	5	15



## PRO BOAT SHAPED POLYSTYRENE FLOAT

### FEATURES

- High quality polystyrene
- One piece moulded

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012718	9341231020292	205 x 350mm	6	24







## Plastering & Rendering Tools

### PRO RECTANGULAR POLYURETHANE FLOAT



#### FEATURES

- High quality polyurethane
- One piece moulded
- Made in the EU

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010212	9341231001819	120 x 240mm	4	40
OX-P010214	9341231001826	140 x 280mm	4	40
OX-P010218	9341231001833	180 x 320mm	4	40
OX-P010220	9341231001840	200 x 360mm	4	24
OX-P010222	9341231001857	220 x 420mm	4	24

### PRO ANGULAR POLYURETHANE FLOAT



#### FEATURES

- High quality polyurethane
- One piece moulded
- Made in the EU

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010208	9341231001802	80 x 260mm	4	224

### PRO PERFORATED SPONGE FLOAT



#### FEATURES

- Zinc plated perforated blade - easy to clean
- Special "fine cell" sponge
- OXGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010830	9341231020339	130 x 300mm	6	24



- Replacement sponge
- Special sponge compound - designed for render
- 6 sponges per pack

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P019813	9341231022708	130 x 300mm	6	24



## PRO YELLOW SPONGE FLOAT

### FEATURES

- Ideal for sandy surfaces
- Fine cell foam pad specially bonded to an aluminium backing plate
- 1" thick foam sponge
- OXGRIP handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P402414	9341231032622	140 x 280mm	6	24

- Replacement sponge
- 6 sponges per pack

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P402514	9341231032639	140 x 280mm	6	12



## PRO PS RUBBER SPONGE FLOAT

### FEATURES

- One piece moulded handle + blade
- Soft - Long life "sponge-rubber" material
- Made in the EU

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P014014	9341231010316	140 x 280mm	4	40

- Replacement sponge
- Pre-glued for convenience

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P019914	9341231001888	140 x 280mm	6	336





## Plastering & Rendering Tools

### PRO PLASTERER'S SQUARE



#### FEATURES

- Stainless steel
- Fully adjustable for precise bevels
- Adjustable wing nuts for setting desired internal and external angles

Product code	Barcode	Internal Size	Inner Qty	Outer Qty
OX-P020201	9341231022616	210 x 210 x 300mm	6	36

### TRADE WEEPHOLE CLEANER



#### FEATURES

- Stainless steel
- Template for accurate weephole
- Bottle opener hole

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T030401	9341231001277	75 & 50mm	6	48

### PRO PLASTER SCOOP



#### FEATURES

- OXGRIP handle
- Heavy duty galvanised pan - for longevity
- Bracket Bucket hang hook

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P010718	9341231011368	180mm	6	12

### TRADE PLASTER SCOOP



#### FEATURES

- Economical plastic construction
- Sturdy grip to withstand heavy loads
- Lightweight

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T530217	9341231016028	180mm	1	30



## PRO WOODEN MITRE BOX

### FEATURES

- Laminated plywood
- Durable construction
- Professional quality
- Angle size: 45°
- Suits: 55mm, 75mm & 90mm cornice



Product code	Barcode	Internal Size	Inner Qty	Outer Qty
OX-P023201	9341231013027	90 x 295mm	4	12

## PRO MASONRY WATER BRUSH

### FEATURES

- White tampico fibre bristles
- Bristles set securely into hardwood block
- Handle pinned and glued for secure attachment
- Round Handle
- Made in the U.S.A



Product code	Barcode	Bristles	Inner Qty	Outer Qty
OX-P060105	9341231013485	5 Rows	4	12

## TRADE WATER BRUSH

### FEATURES

- Quality smooth timber block
- White coco fibre bristles
- Two knot



Product code	Barcode	Bristle Area	Inner Qty	Outer Qty
OX-T060802	9341231011900	120 x 60 x 150mm	6	24

## TRADE ACID BRUSH

### FEATURES

- Quality smooth timber block
- White coco fibre bristles



Product code	Barcode	Bristle Area	Inner Qty	Outer Qty
OX-T060801	9341231022821	50mm	6	24





## Plastering & Dry Lining Tools

### PRO SPEEDSKIM – ST (PLASTERING & RENDERING)

#### FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Flattening, finishing & ruling off
- Compatible with all gypsum based plasters (hand and spray applied), Traditional sand & cement renders and insulated rendering systems
- Complete with integral blade guard



**New**



Product Code	Barcode	Size	Inner Qty	Outer Qty
OX-P530945	5060359919243	450mm	1	4
OX-P530960	5060359919250	600mm	1	4
OX-P530990	5060359919267	900mm	1	4
OX-P530912	5060359919274	1200mm	1	4
OX-P530918	5060359919281	1800mm	1	4

#### Replacement blade

- Complete with integral blade guard and spare end caps



Product Code	Barcode	Size	Inner Qty	Outer Qty
OX-P531245	5060359919373	450mm	1	4
OX-P531260	5060359919380	600mm	1	4
OX-P531290	5060359919540	900mm	1	4
OX-P531212	5060359919403	1200mm	1	4
OX-P531218	5060359919410	1800mm	1	4

### PRO SPEEDSKIM – POLE ATTACHMENT

#### FEATURES

- Fully compatible with all standard professional 'threaded' extension poles
- Constructed from 'tough glass filled' nylon
- Compatible with all sizes of Speedskim



Product Code	Barcode	Inner Qty	Outer Qty
OX-P531501	5060359919502	1	32



## PRO SPEEDSKIM – SF (FINE FINISHING & DRYWALL)

### FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Ultra-fine 0.3mm stainless steel blade
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard




Product Code	Barcode	Size	Inner Qty	Outer Qty
OX-P531045	5060359919304	450mm	1	4
OX-P531060	5060359919311	600mm	1	4
OX-P531090	5060359919328	900mm	1	4
OX-P531012	5060359919335	1200mm	1	4

### Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Barcode	Size	Inner Qty	Outer Qty
OX-P531345	5060359919434	450mm	1	4
OX-P531360	5060359919441	600mm	1	4
OX-P531390	5060359919458	900mm	1	4
OX-P531312	5060359919465	1200mm	1	4



UK Professional Builder Magazine

Covered by world patents, registered designs & pending applications.



## Plastering & Rendering Tools




### TRADE TEXTURE GUN – SQUARE

#### FEATURES

- Ideal for applying masonry coatings - cement render, and concrete re-surfacing products
- With airflow regulator and 45° elbow
- Operating pressure bar 3.0-4.0
- Air volume usage 0.623 CBM / min

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T040308	9341231013607	8L	4	12

### TRADE TEXTURE GUN - SPARE PARTS



Product code	Descriptions	Replacements Parts Kits
OX-P049701	Aluminum Body	Part NO: OX-P049799
OX-P049702	Retaining Ring	Contents:
OX-P049703	4.0mm Nozzle	*1 x Fitting OX-P049706
OX-P049704	6.0mm Nozzle	*1 x O-Ring OX-P049707
OX-P049705	8.0mm Nozzle	*1 x Needle Shaft OX-P049709
OX-P049706	Fitting	*2 x O-Ring OX-P049712
OX-P049707	O-Ring	*1 x Gasket OX-P049713
OX-P049708	Needle Shaft	*1 x O-Ring
OX-P049709	O-Ring	*1 x O-Ring
OX-P049710	Regulator Guide	
OX-P049711	Assembly	
OX-P049712	Gasket	
OX-P049713	O-Ring	
OX-P049714	E-Ring	
OX-P049715	Spring	
OX-P049716	Pin	
OX-P049717	Trigger	
OX-P049718	Connection	
OX-P049719	O-Ring	
OX-P049720	Clip Ring	
OX-P049721	Clamp	
OX-P049722	Plastic Hopper-Square	
OX-P049723	Plastic Hopper-Round	
OX-P049724	45° Elbow	
OX-P049725	On/Off Valve	

#### FEATURES

- The 4.0mm & 6.0mm nozzles are suitable for medium viscosity materials
- The 8.0mm nozzle is suitable for high viscosity materials
- The size of drop is controlled by means of the air regulator which can be fitted in the air inlet in the gun body
- The spray gun is an internal mix type with material gravity fed from the hopper
- This gun requires a minimum of an 8mm hose line
- Maximum hopper capacity is 5.5 litres - square or 3.5 litres - round
- Use with masonry, textured paints & textile wall coatings on medium sizes surfaces



## TRADE TEXTURE GUN - REPLACEMENT KIT

### FEATURES

- Genuine OX parts
- Parts kit include parts marked with\*

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P049799	9341231021916	OX-T040308	3	6




## TRADE TEXTURE GUN - REPLACEMENT NOZZLES

### FEATURES

- Genuine OX parts

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P049703	9341231021886	4mm	3	6
OX-P049704	9341231021893	6mm	3	6
OX-P049705	9341231021909	8mm	3	6







# Plastering & Rendering Tools



TECHNICAL INFORMATION	
Input Power	1600W
No Load Speed Gear 1	180-400RPM
No Load Speed Gear 2	300-700RPM
Spindle	M14
Weight	6.5kg

## PRO 1600W MIXING DRILL



### FEATURES

- Powerful 1600w motor
- Ergonomically Balanced Design
- Variable Speed
- Lightweight 6kg
- Competitively priced
- 3 Pin Plug
- Bonus Mixing Paddle
- Bonus Extension



Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P286	9341231018275	62x22x32	1	2




## TRADE MIXING PADDLE – HELICAL WITH RIM

### FEATURES

- Zinc plated
- For mixing tile glue, grout etc.
  - use on high viscosity materials

Product code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-T120612	9341231015939	10	20 - 30	120 x 600	4	12




## TRADE MIXING PADDLE – NEGATIVE HELIX

### FEATURES

- Zinc plated
- For mixing acrylic render with grit, thick paint etc.
  - use on medium viscosity materials

Product code	Barcode	Drive	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-T120435	9341231015915	M14	25-40	135 x 650	4	12




## PRO MIXING PADDLE – RIBBON

### FEATURES

- Chrome plated
- For mixing paint and general liquids
- Low to medium viscosity materials

Product code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120308	9341231010842	8	5 - 10	80 x 400	12	48




## PRO MIXING PADDLE - DUAL FIN

### FEATURES

- Chrome plated
- For mixing paint, tile glue, grout etc.
- Multi-purpose use on low to high viscosity materials

Product code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120809	9341231010927	8	5 - 15	85 x 500	12	36




## PRO MIXING PADDLE – HELICAL WITH RIM

### FEATURES

- Chrome plated
- For mixing tile glue, grout etc.
  - use on high viscosity materials

Product code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120609	9341231010897	8	5 - 15	90 x 500	12	48
OX-P120612	9341231010903	10	20 - -30	120 x 600	6	18





## Plastering & Rendering Tools

### PRO MIXING PADDLE – HELICAL WITH RIM



IDEAL FOR TILING

#### FEATURES

- Chrome plated
- For mixing tile glue, grout etc.  
- use on high viscosity materials

Product code	Barcode	Drive	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P121035	9341231010965	M14	50L	135 x 650	6	18

### PRO ADAPTOR



#### FEATURES

- Chrome plated
- For increasing the length of M14 drive shaft

Product code	Barcode	Drive	Length mm	Inner Qty	Outer Qty
OX-P121515	9341231011016	M14	150	3	6

### PRO MIXING DRILL ADAPTOR - HEX/M14(F)




#### FEATURES

- Chrome plated
- For turning M14 thread into 10mm hex

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P121801	9341231038013	OX Pro Mixing Drill Adaptor - Hex/M14(F)	30	180

### PRO MEGA WHIP MIXER



#### FEATURES

- M14T hread
- 600mm Length
- 165mm Width
- Zinc Plated
- Parallel Mixing Action
- Suitable for Tile Adhesives, Grout, Render, Paintand Mud

Product code	Barcode	Drive	Size mm	Inner Qty	Outer Qty
OX-P122701	9341231019524	M14	600 x 165	6	24




## PRO MIXING PADDLE – POSITIVE HELIX

### FEATURES

- Chrome plated
- For mixing acrylic render without grit, thick paint  
- use on high viscosity materials

Product code	Barcode	Drive	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120535	9341231010880	M14	25 - 40	135 x 650	4	12




## PRO MIXING PADDLE – NEGATIVE HELIX

### FEATURES

- Chrome plated
- For mixing acrylic render with grit, thick paint etc.  
- use on medium viscosity materials

Product code	Barcode	Drive	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120435	9341231010866	M14	25 - 40	135 x 650	4	12




## PRO HEAVY DUTY STIRRER

### FEATURES

- Chrome plated
- For mixing lime putty plaster

Product code	Barcode	Drive	Batch Size kg	Size mm	Inner Qty	Outer Qty
OX-P120220	9341231010835	M14	55 - 70	200 x 650	4	12




IDEAL FOR TEXTURE COATING





# Tiling Tools

OX tiling tools are designed to meet the high expectations of the professional tiler and clearly carry the quality and design represented by the OX brand.





## PRO STRAIGHT SET TILE NIPPER – TWO STRAIGHT

### FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P152180	9341231029462	8" / 200mm	12	60



## PRO STRAIGHT SET TILE NIPPER – TWO CURVED

### FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P152280	9341231029479	8" / 200mm	12	60



## PRO PARROT BEAK TILE NIPPER

### FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P152475	9341231029516	7½" / 190mm	12	72



## TRADE TRIM /FILLET CUTTER

### FEATURES

- Chrome plated
- Integral angle gauge
- Soft moulded hand grips

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T151010	9341231029523	8" / 216mm	6	48





## Tiling Tools

### PRO NOTCH TROWEL



#### FEATURES

- Carbon steel blade & aluminium shank
- OXGRIP handle
- Size: 115 x 280mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P013406	9341231024146	6 x 6mm	4	24
OX-P013408	9341231024153	8 x 8mm	4	24
OX-P013410	9341231024160	10 x 10mm	4	24
OX-P013412	9341231024177	12 x 12mm	6	36

### TRADE NOTCH TROWEL



#### FEATURES

- Rubber grip handle
- Carbon steel blade
- Square notches
- Size: 120 x 280mm

Product code	Barcode	Notch Size	Inner Qty	Outer Qty
OX-T403104	9341231040078	4 x 4mm	12	36

### TRADE V NOTCH TROWEL



#### FEATURES

- Carbon steel blade & timber handle
- Aluminium shank
- Size: 115 x 280mm

Product code	Barcode	V Size	Inner Qty	Outer Qty
OX-T401804	9341231029721	4mm	4	32



## PRO GAUGING TROWEL

### FEATURES

- Welded shank
- Precision taper ground blade
- OXGRIP handle
- 'S' style shank - will 'hang' on the side of a bucket

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011407	5060242330261	3½ x 7" / 88 x 178mm	6	60
OX-P011408	9341231010804	3½ x 8" / 95 x 203mm	6	60



## PRO GROUT REMOVER

### FEATURES

- Tungsten carbide tipped blade
- Ergonomic body and grip - with blade storage compartment in the hilt
- Size: 210mm

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-P130201	9341231027185	50mm	12	72

- Replacement blades
- Tungsten carbide tipped blade
- Suits OX-P130201

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P139801	9341231029905	50mm	24	480



## TRADE WALL SCRAPER

### FEATURES

- Strips various product off many surfaces

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-T050604	9341231013980	100mm	12	72
OX-T050606	9341231026010	150mm	12	48

- Replacement blades
- 5 blades per pack

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-T059504	9341231036255	100mm	25	200
OX-T059506	9341231013997	150mm	10	100







## Tiling Tools



### PRO HEAVY DUTY SCRAPER

#### FEATURES


- Chrome plated shaft
- Triple screw blade clamp
- Power weighed OXGRIP end
- Size: 450mm

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-P050105	9341231029912	5" / 127mm	4	12



- Replacement blades - 10pk
- Made from high quality carbon steel
- Suits OX-P050105

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P059905	9341231029929	127 x 19 x 1mm	4	12




### PRO TILERS LEVEL - 2 VIAL

#### FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-P021204	9341231030048	400mm	3	6
OX-P021206	9341231030055	600mm	3	6



### PRO TILERS LEVEL - 3 VIAL

#### FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-P023115	9341231030109	1500mm	3	6




## PRO 7 PIECE TILERS SET – COMPLETE TILERS LEVEL SET

### FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m
- 2 Vials: 300mm x 1, 400mm x 1, 600mm x 1, 800mm x 1, 1000mm x 1
- 3 Vials: 1200mm x 1, 2000mm x 1

Product code	Barcode	Content	Inner Qty	Outer Qty
OX-P21SET7	9341231034152	7 pieces	4	8



## PRO SINGLE CUP RUBBER SUCTION LIFTER

### FEATURES

- Easy single handed use
- Grips on to any smooth flat surface
- Easy to use - press-on for suction - lift lipped edge for release
- Max lift capacity 20kg

Product code	Barcode	Cup Size	Inner Qty	Outer Qty
OX-P170403	9341231026041	3" / 80mm	12	72



## PRO PUMP-UP SUCTION LIFTER – PLASTIC HANDLE

### FEATURES

- Plastic workings
- Pump action suction activation
- Grips on to any smooth flat surface
- Sturdy steel construction with high carrying capacity for heavy loads
- Max lift capacity 100kg

Product code	Barcode	Cup Size	Inner Qty	Outer Qty
OX-P170808	9341231029981	8" / 200mm	2	4





## Tiling Tools

### PRO PUMP-UP SUCTION LIFTER – BRASS HANDLE



#### FEATURES

- Brass workings
- Pump action suction activation
- Grips on to any smooth flat surface
- Sturdy steel construction with high carrying capacity for heavy loads
- Max lift capacity 150kg

Product code	Barcode	Cup Size	Inner Qty	Outer Qty
OX-P170708	9341231029998	8" / 200mm	2	4

### PRO RECTANGULAR DOUBLE RUBBER GROUTER



#### FEATURES

- Ergonomic plastic handle
- Gum rubber blade with bevelled edges
- Plastic backer with foam cushion for even pressure

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011812	9341231029875	4 x 12" / 100 x 300mm	12	48
OX-P011895	9341231027192	4 x 9½" / 100 x 240mm	12	48

### PRO POINTED RUBBER GROUTER



#### FEATURES

- Timber handle
- Foam-rubber blade with steel insert - for rigidity

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P011995	9341231029844	3½ x 9½" / 86 x 240mm	6	72



## PRO VELCRO SPONGE HOLDER

### FEATURES

- One piece handle and blade with co-moulded OXGRIP
- Velcro quick change base - glued and stapled

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P012927	9341231030208	5 x 10½" / 130 x 270mm	2	10



## PRO VELCRO SLOTTED HYDRO SPONGE

### FEATURES

- The ultimate tilers sponge - made from 'Hydro' material for ultimate water holding properties
- Open cell design with the 'Hydro' material, creates the most effective dirt release during 'compression load deflection
- The OX slotted surface design creates multiple edges to perform the cleanest 'wipe' after one swipe

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250215	9341231030215	6 x 12 x 1½" / 150 x 300 x 35mm	6	24



## PRO SLOTTED HYDRO SPONGE FLOAT

### FEATURES

- One piece moulded handle and blade
- Sponge made from 'Hydro' material for ultimate water holding properties
- Open cell design

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P404814	9341231035104	5½ x 11" / 140 x 280mm	10	40







## Tiling Tools

### PRO HYDRO SPONGE FLOAT WITH PROFILE BASE



#### FEATURES

- Soft grip handle for ultimate grip and comfort
- 30mm hydro-sponge pad, highly absorbent
- Profiled for easier cleaning

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P140614	9341231040399	5½ x 11" / 140 x 280mm	4	40

### PRO SLOTTED HYDRO SPONGE



#### FEATURES

- The ultimate tilers sponge - made from 'Hydro' material for ultimate water holding properties
- Open cell design with the 'Hydro' material, creates the most effective dirt release during 'compression load deflection
- The OX slotted surface design creates multiple edges to perform the cleanest 'wipe' after one swipe

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250113	9341231030192	200 x 130 x 50mm	12	96

### PRO GENERAL PURPOSE SPONGE



#### FEATURES

- All-purpose type sponge for general cleaning
- Coarse pore for removal of heavy dirt
- Consists of large and small cell structure

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250311	9341231030154	110 x 165 x 65mm	12	14
OX-P250313	9341231030161	130 x 200 x 70mm	12	144



## PRO HYDRO HAND SPONGE

### FEATURES

- The ultimate tilers sponge - made from 'Hydro' material for ultimate water holding properties
- 'Open cell' design with the 'Hydro' material, creates the most effective dirt release during 'compression load deflection'



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P250411	9341231030178	110 x 165 x 65mm	6	24
OX-P250413	9341231030185	130 x 200 x 70mm	12	10



# Striking & Struck Tools

**OX hammers are designed to be perfectly balanced and built to last.**

Shock absorbing ergonomically designed handles reduce hand fatigue and vibration. The quality of the steel, the balance and comfort grip handles mean they are perfect for tradesmen who want the job done right, first time every time.





## PRO CLAW HAMMER

### FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P080116	5060242337994	16oz / 450g	4	24
OX-P080120	9328217003401	20oz / 560g	4	24
OX-P080124	5060242338007	24oz / 680g	4	24



LIFETIME GUARANTEE

## PRO STRAIGHT CLAW HAMMER

### FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P082920	5060242338502	20oz / 560g	4	24



LIFETIME GUARANTEE

## PRO FRAMING HAMMER

### FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P082328	5060242338014	28oz / 790g	4	16



LIFETIME GUARANTEE





## Striking & Struck Tools



### PRO FIBREGLASS CLAW HAMMER

#### FEATURES

- Fibreglass shaft with an injection moulded grip
- Non-slip grip with shock reduction
- Precision balanced

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P081620	5060242337451	20oz / 570g	4	24

LIFETIME GUARANTEE



### TRADE FIBREGLASS CLAW HAMMER

#### FEATURES

- Hardened & Tempered Steel Head
- Unique OX Fiberglass Handle
- Ergonomic TPR Grip
- Lightweight feel and perfect balance

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T081220	9341231019982	20oz / 570g	6	24



### PRO BRICK HAMMER

#### FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P082424	5060242338021	24oz / 790g	4	24

LIFETIME GUARANTEE



### TRADE BRICK HAMMER

#### FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip
- Head weight 24oz

Product code	Barcode	Handle Length	Inner Qty	Outer Qty
OX-T081024	9341231013638	24oz / 790g	6	24



## PRO DRYWALL HAMMER

### FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P082614	5060242338038	14oz / 400g	4	24



LIFETIME GUARANTEE

## PRO ROCK PICK

### FEATURES

- Accurately ground point end for accurate picking
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P083222	9341231035074	22oz / 620g	4	24



LIFETIME GUARANTEE

## PRO CLUB HAMMER

### FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P082703	5060242338045	3lb / 1.3kg	4	12
OX-P082704	5060242338052	4lb / 1.8kg	4	12



LIFETIME GUARANTEE



## Striking & Struck Tools

### TRADE FIBREGLASS CLUB HAMMER



#### FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 3LB & 4LB

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T081303	9341231013645	3lb / 1.3kg	6	12
OX-T081304	5060242332241	4lb / 1.8kg	6	12

### TRADE 3LB BRICKLAYERS CLUB HAMMER



New

#### FEATURES

- Rubber Handle Guard
- Manufactured from FineGrain High Carbon Steel
- Drop Forged, Heat Treated, Induction hardened & tempered with fine polished faces

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T086115	9341231018985	3lb / 1.3kg	4	16

### TRADE FIBREGLASS DEMOLITION HAMMER



#### FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T082004	9341231013676	4lb / 1.8kg	4	8



## PRO 6LB MINI SLEDGE HAMMER

### FEATURES

- 6LB Mini Sledge Hammer with Rubber Handle Guard
- Manufactured from Fine Grain High Carbon Steel
- Drop Forged, Heat Treated, Induction hardened & tempered with fine polished faces
- Clear Lacquer finish to deter corrosion on Hammer Head
- Straight Grain 400mm Hickory Handle
- Milled Hammer Face with Chamfered Edges
- Tapered Eye Hole to prevent accidental handle pull out



New

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P085906	9341231017926	46 x 3 x 15	4	16

## TRADE FIBREGLASS SLEDGE HAMMER

### FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 7LB, 10LB, 12LB & 14LB



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T081507	9341231013706	7lb / 3.2kg	2	4
OX-T081510	5060242332265	10lb / 4.5kg	2	4
OX-T081512	9341231013720	12lb / 5.4kg	2	4
OX-T081514	9341231013737	14lb / 6.3kg	2	4

## PRO HICKORY HANDLE SLEDGE HAMMER

### FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Fitted with steel wedges



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P080204	9341231001918	4lb / 1.8kg	2	4
OX-P080207	9341231001925	7lb / 3.2kg	2	4
OX-P080210	9341231001932	10lb / 4.5kg	2	4
OX-P080214	9341231001949	14lb / 6.3kg	2	4





## Striking & Struck Tools

### PRO ONE PIECE RUBBER MALLET



#### FEATURES

- White non marking rubber
- Steel reinforcement core
- Comfortable grip
- One piece moulded rubber

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P080605	9341231011726	17.5oz / 500g	12	24
OX-P080610	9341231011733	35oz / 1000g	6	12

### TRADE BLACK RUBBER MALLET



#### FEATURES

- Quality, durable rubber mallet
- Solid core fibreglass handle
- Ergonomic rubber grip

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T081724	5060242332296	24oz / 680g	6	24

### PRO SINGLE ENDED SCUTCH HAMMER



#### FEATURES

- Hickory handle
- High quality drop forged steel head
- Head weight 28oz

Product code	Barcode	Handle Length	Inner Qty	Outer Qty
OX-P080528	9341231001901	240mm	4	24

### PRO DOUBLE ENDED SCUTCH HAMMER



#### FEATURES

- High quality drop forged steel head
- Head weight 22oz
- Hickory handle

Product code	Barcode	Handle Length	Inner Qty	Outer Qty
OX-P080522	9341231001895	340mm	4	24




## PRO SCUTCH COMBS HOLDERS

### FEATURES

- For detachable stone dressing combs
- Heavy duty high carbon steel
- Hardened & tempered for durability

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P090310	9341231020759	200 x 25mm / 8 x 1"	6	30
OX-P090315	9341231020766	200 x 38mm / 8 x 1 1/2"	6	30




## PRO SCUTCH COMBS

### FEATURES

- To fit into a scutch comb holder
- For preparation of surface prior to re-rendering
- Three different sizes – 25, 38 & 50mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P080725	9341231010712	25mm	10	40
OX-P080738	9341231010729	38mm	4	16
OX-P080750	9341231010736	50mm	4	16



## PRO CONCRETE CHISEL

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of concrete

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P092501	5060242334535	3/4" x 12" / 20 x 300mm	5	20



## PRO COLD CHISEL

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & shaping iron, steel, aluminium, copper, brass, nuts & bolts

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-P092401	5060242334566	1" / 25mm	5	20





## Striking & Struck Tools



### TRADE ELECTRICIANS BOLSTER

#### FEATURES

- Drop forged steel
- Rubber grip handle

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-T090502	5060242331497	2 1/4" / 57mm	4	32



### PRO ELECTRICIAN'S CHISEL

#### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & trimming of wood, wallboard & masonry

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-P092002	5060242334573	2 1/4" / 57mm	5	20



### PRO FLOOR CHISEL

#### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting, prying & ripping of nails & hard wood flooring

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-P092103	5060242334542	3" / 76mm	5	20



### TRADE BRICK BOLSTER

#### FEATURES

- Drop forged steel
- OXGRIP handle

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-T090945	5060242332227	4 1/2" / 115mm	4	16



## PRO BRICK BOLSTER

### FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of bricks & masonry

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-P092303	5060242334511	3" / 76mm	5	20
OX-P092345	5060242339424	4½" / 115mm	5	20



## TRADE COLD CHISEL

### FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- For cutting & shaping masonry

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T090112	5060242330865	1" X 12" / 25 X 300mm	6	24
OX-T091218	5060242331480	¾" X 18" / 20 X 450mm	4	12



## PRO GROOVED PLUGGING CHISEL

### FEATURES

- High quality carbon steel
- Hexagonal shaft
- Fluted design - to prevent 'jamming'
- Chamfered striking end

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P090210	5060242330865	250 x 6mm	4	20





## Striking & Struck Tools

### PRO DEMOLITION BAR



#### FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P093015	5060242338083	16" / 390mm	8	48

### PRO HEAVY DUTY PRY BAR



#### FEATURES

- Powder coated finish all steel
- Hardened steel claw
- Ideal for prying formwork

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P092856	9341231025846	56" / 1425mm	4	16

### TRADE WRECKING BAR



#### FEATURES

- Solid steel wrecking bar
- Forged high carbon steel - one piece

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T091012	5060242330803	12" / 300mm	10	20
OX-T091018	5060242330810	18" / 450mm	6	12
OX-T091024	5060242330827	24" / 600mm	5	10
OX-T091030	5060242331503	30" / 750mm	5	10
OX-T091036	5060242330834	36" / 900mm	5	10





## PRO MOULDING BAR

### FEATURES

- Unique hammer head
- Multi-functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P083110	5060242338076	10" / 250mm	6	48

## PRO CLAW BAR

### FEATURES

- Unique hammer head
- Multi-functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P083010	5060242339981	10" / 250mm	6	48
OX-P083012	5060242338069	12" / 300mm	6	36



# Measuring Tools

**Few tools are as widely used across the world as the tape measure.**

We at OX recognise that and build our tapes to last the test of time. Durability, reliability and innovation are the words we think of when designing a new line of tapes.

OX has enhanced it's reputation as a leading tape manufacturer with the launch of the new Pro Series short tape, which boasts an impressive 3.0m stand out whilst remaining an extremely compact design.





## PRO STAINLESS STEEL TAPE MEASURE

### FEATURES

- Professional tape measure
- Stainless steel case with over mold for heavy duty use
- Extra tough nylon coated steel 30mm wide blade
- 3.0m stand out
- Large end hook
- Easy access thumb lock



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P029308	9341231015519	8m	6	36

## PRO SS TAPE MEASURE 8M/5M TWIN PACK

### FEATURES

- Professional tape measure
- Stainless steel case with over mold for heavy duty use
- Extra tough nylon coated steel 30mm wide blade
- 3.0m stand out
- Large end hook
- Easy access thumb lock



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P504858AU	9341231039232	8m / 5m	6	12

TWIN  
PACK





## Measuring Tools

### PRO POWER TAPE MEASURE

#### FEATURES

- OXGRIP moulded rubber case
- Triple rivetted hook end
- 25mm wide metric blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P020108	9341231000706	8m	18	36

\* Free counter display with every purchase of 18 tapes.



### TRADE POWER TAPE

#### FEATURES

- 25mm wide metric blade
- Ergonomic rubber grip
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release button

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T020108	9341231019500	8m	12	48
OX-T020110	9341231034008	10m	12	48

\* Free counter display with every purchase of 12 tapes.



### PRO 305MM COMBINATION SQUARES

#### FEATURES

- High Quality Cast And Machined Sliding Stock
- Stainless Steel Rule Engraved With Metric Graduations
- Can Mark 90° And 45° With Adjustable Depth For Repetition
- Marking And Scribing
- 305mm Size

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P500531	9341231039096	305mm	6	36





## PRO HEAVY DUTY ALUMINIUM 'T' SQUARE

### FEATURES

- Made from high quality silver anodised structural aircraft aluminium
- Precise 'mm' - graduation markings
- Quadruple rivetted 'T' end to ensure accuracy for a long time




Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P021114	9341231032158	50 x 16" / 1200 x 550mm	4	8

## PRO CARPENTER'S SQUARE

### FEATURES

- Metric markings with writing area for notes
- Heavy duty carbon steel
- Epoxy coated



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P021064	9341231001987	24 x 16" / 600 x 400mm	6	24






# Layout Tools

**Lifetime vial warranty, 30mm depth extrusion and patented innovative dual view vials are just some of the features on the extraordinary OX Pro Series level.**

This one is definitely OX Strong – and if you can find a tougher level we will give you your money back... Guaranteed!





## PRO SPIRIT LEVEL

### FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Two milled surfaces
- One horizontal and two vertical vials



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P024406	5060242333897	600mm	4	40
OX-P024408	5060242333903	800mm	4	40
OX-P024409	5060242333910	900mm	4	40
OX-P024412	5060242333934	1200mm	4	40
OX-P024418	5060242333941	1800mm	4	128
OX-P024420	5060242333958	2000mm	4	128
OX-P024424	5060242333965	2400mm	4	128



## TRADE LEVEL SET - 4PK

### FEATURES

- 3 Solid Acrylic Vials with Accuracy of .05mm or .0005in/in
- UV Resistant Vials
- Milled Surface on Base up to 1200mm Length
- Shock Absorbing Rubber End Caps
- Lifetime Vial Warranty
- Strong, Lightweight Aluminium Profile
- Includes: 600mm, 1200mm, 1800mm Trade Levels & 230mm Torpedo Level



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T500404	5060359914729	600mm, 1200mm, 1800mm & 230mm	4	6



## Layout Tools

### TRADE TORPEDO LEVEL – 230MM

#### FEATURES

- Light weight trade torpedo level
- 3 easy to read vials (horizontal, vertical, 45 degrees)
- Magnetic V-groove for pipe work and scaffolding
- Tough rubber end caps

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T026323	9341231040214	230mm	20	80

\* Free counter display with every purchase of 20 torpedo levels



20  
BOX



### PRO TORPEDO LEVEL

#### FEATURES

- The toughest torpedo level in the world!
- Tilted horizontal vial for direct view of bubble
- 3 unbreakable acrylic shock-proof vials
- Accuracy  $<0.0005"/" (0.5\text{mm/m})$
- 25mm thick profile – extremely strong construction
- Fine milled surface with V-groove

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P027210	5060242338632	250mm	4	40



### PRO TORPEDO LEVEL

#### FEATURES

- Die cast aluminium body
- 3 Solid block vials
- Fitted horizontal vial for direct view of bubble
- Fine milled surface with V-groove for accurate and easy placement on pipes and curved surfaces
- Accuracy  $<0.0005"/" (0.5\text{mm/m})$

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P027625	5060242338854	230mm	5	40



New



## PRO CROSS BEAM LASER LEVEL

### FEATURES

- Green Beam
- Laser Class: 2
- Level Accuracy:  $\pm 0.2\text{mm/m}$
- IP65 - Water & Dust Proof
- Self-Levelling Range:  $3^\circ$
- Working Range: Indoor: 30m, Outdoor: 60m with detector
- Power: 3x1.5 V LR6 (AA)
- Tilt Mode

*New*



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P502901	5060530351763	-	1	4

### PRO SERIES LASER LEVEL DETECTOR (GB)

- Green line laser detector
- Operated in pulse mode at frequency of 5Khz.
- Detection range: 1 ~ 60 meters; Vertical of 1 ~ 35 mm.
- Frequency: 5 kHz (it will not detect rotating levels)
- Precision: High Accuracy  $\pm 1.5\text{ mm}$ ; Low Accuracy  $\pm 2.5\text{ mm}$ .
- Dimension: 164mm. (H) x 52 mm. (W) x 27 mm. (D)
- Weight: 140 g (including batter)
- Power source: 9V battery (Laminated)



Product code	Barcode	Inner Qty	Outer Qty
OX-P502902	9341231018794	1	1

## TRADE HEAVY DUTY THIN CHALK LINE

### FEATURES

- Improved Handle Design
- 8 strand
- Speed of Wind 3.5:1 gear drive for faster rewind of line
- Locking Mechanism

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T020831	9341231039300	100ft / 30m	8	64



## PRO HEAVY DUTY THICK CHALK LINE

### FEATURES

- Improved Handle Design
- 8 strand
- Speed of Wind - 6:1 gear drive for faster rewind of line
- Locking Mechanism

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P027731	9341231039294	100ft / 30m	8	64





## Layout Tools



### PRO ALUMINIUM CHALK LINE REEL

#### FEATURES

- Durable zinc alloy case
- Self locking winder handle
- Easy slide fill operation

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P020330	9341231011023	100ft / 30m	6	96

### TRADE CHALK REEL/CHALK BUNDLE



#### FEATURES

- Improved Handle Design
- 8 strand
- Speed of Wind 3.5:1 gear drive for faster rewind of line
- Locking Mechanism
- Chalk Included

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T020831-COMBO	9341231039225	100ft / 30m	6	48

### TRADE LINE MARKING CHALK



#### FEATURES

- Heavy duty plastic
- Red and white striped
- Double sided print

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T025007	9341231025662	225g/8oz - Red	6	60
OX-T025008	9341231025679	225g/8oz - White	6	60
OX-T025009	9341231025686	225g/8oz - Blue	6	60
OX-T025010	9341231025693	225g/8oz - Yellow	6	60
OX-T025013	9341231025723	1kg/35oz - Blue	4	24
OX-T025014	9341231025730	1kg/35oz - Red	4	24





## TRADE LUMBER CRAYONS - 12 PACK

### FEATURES

- Hexagonal profile - 13 x 113MM
- Will not dry out
- Waterproof
- For marking timber, concrete, bitumen, tyres, etc.

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T024701	9341231025747	Yellow	4	12
OX-T024704	9341231025778	Red	4	12
OX-T024706	9341231025792	White	4	12
OX-T024705	9341231025785	Black	4	12
OX-T024702	9341231025754	Blue	4	12



## TRADE CARPENTER'S PENCIL – 10PC

### FEATURES

- Traditional shape chamfered rectangle
- Ideal for marking saw cuts
- High quality lead
- FREE sharpener included

Product code	Barcode	Type	Inner Qty	Outer Qty
OX-T022910	5060135479916	Red / Medium	12	48
OX-T023010	9341231035012	Green / Hard	12	48

\* Free counter display when you purchase 12 packs



## TRADE CARPENTER'S PENCILS - 72 PK

### FEATURES

- Traditional shape chamfered rectangle
- Ideal for marking saw cuts
- High quality lead

Product code	Barcode	Type	Inner Qty	Outer Qty
OX-T022972	5060135479947	Red / Medium	4	8
OX-T023072	9341231025808	Green / Hard	4	8





## Tuff Carbon

Long life automatic marking pencil - automatic lead feed

Made of high quality PP/ABS/stainless steel

Fitted with ABS protection cap for the lead protection

Stainless steel lead feed tube - Diameter of lead 2.8mm

Belt clip

Integrated lead sharpener built into the cap





## PRO TUFF CARBON MARKING PENCIL

### FEATURES

- Belt clip
- Long life automatic marking pencil - automatic lead feed
- Made of high quality PP/ABS/stainless steel
- Fitted with ABS protection cap for the lead protection
- Stainless steel lead feed tube - diameter of lead 2.8mm
- Integrated lead sharpener built into the cap



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P503201	9341231018305	15mm	10	100



## PRO TUFF CARBON LEAD - MULTI

### FEATURES

- Refills - 10 Leads
- For all surfaces
- Damp wipeable
- 3 Basic
- 3 Color
- 4 Graphite

Product code	Barcode	Inner Qty	Outer Qty
OX-P503202	9341231018312	10	100



## PRO TUFF CARBON LEAD - GRAPHITE

### FEATURES

- Refills - 10 Leads
- 10 Graphite

Product code	Barcode	Inner Qty	Outer Qty
OX-P503203	9341231018329	10	100





# Woodworking Tools

Owning quality woodworking tools says a lot about how serious a woodworker you are.

Superbly balanced chisels and tough built door clamps are products that have been designed to give users greater control and accuracy.







## PRO SOLID STEEL DOOR CLAMP

### FEATURES

- Solid steel, fully welded
- Holds door during; attaching hinges, routing, hanging, rebating
- Comfortable soft grip handles
- Felt covered jaws for protection against door damage
- Fits all doors – from 18mm ‘built in’ doors to 65mm ‘fire rated’ doors

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P200101	9341231001994	49cm x 30cm	3	6



## PRO SERIES MINI BAR CLAMP TWIN PACK

### FEATURES

- 6"/150mm or 12"/300mm
- 70kg clamping force gets the job done
- Manufactured using Engineering Grade Plastic for strength and lightweight
- “Long Leverage Design” ensures high pressure clamp force
- Converts easily from a Clamp to Spreader

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P203306	9341231039171	150mm (6")	1	6
OX-P203312	9341231039188	300mm (12")	1	6







## Woodworking Tools

### PRO HEAVY DUTY WOOD CHISEL



#### FEATURES

- Forged Steel Core - Superior Strength & Durability
- High Quality Hardened Steel Blade Giving Sustained Performance And Edge Retention
- Extra Large Strike Cap To Withstand Hammer Strikes And Can Be Hit From Multiple Angles
- Split-Proof Acetate Handle Designed Tough To Last

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P371106	5060530352203	6mm	6	36
OX-P371113	5060530352227	13mm	6	36
OX-P371116	5060530352234	16mm	6	36
OX-P371119	5060530352241	19mm	6	36
OX-P371125	5060530352265	25mm	6	36
OX-P371132	5060530352272	32mm	6	36
OX-P371138	5060530352289	38mm	6	36



### PRO 3 PK CHISEL SET

Professional 3 piece set of high-quality pro wood chisels.

- Forged steel core for superior strength and durability
- Split-proof acetate handles
- High quality hardened steel blade
- Includes 13mm, 19mm and 25mm chisels

Product code	Barcode	Sizes	Inner Qty	Outer Qty
OX-P370903-TT	9341231018527	13mm, 19mm and 25mm	6	24



### PRO 5 PK CHISEL SET

Professional 5 piece set of high-quality pro wood chisels in a high quality storage case.

- Forged steel core for superior strength and durability
- Split-proof acetate handles
- High quality hardened steel blade
- Includes 16mm, 19mm, 25mm, 32mm and 38mm chisels

Product code	Barcode	Sizes	Inner Qty	Outer Qty
OX-P370905	9341231018534	16mm, 19mm, 25mm, 32mm and 38mm	4	8



## PRO WOOD CHISEL SET

### FEATURES

- Metal striking cap
- Steel shaft for ultimate strength
- OXGRIP handle for total control
- Special hardened chrome vanadium
- Comes with heavy duty plastic carry case

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P370105	5060242333644	6, 13, 19, 25 & 32mm	5	10



## PRO 7 PIECE SCREWDRIVER SET (BOX)

Professional set of high-quality chrome vanadium steel screwdrivers featuring soft grip handles moulded directly to shaft for ultimate strength.

### FEATURES

- Chrome vanadium steel bar
- Colour coded handles
- Robust, heavy duty case
- Soft grip handle moulded directly to shaft for ultimate strength
- Set includes: Flared 6.5 x 150mm; Parallel 3.5 x 75mm & 5.5 x 125mm; Philips PH1 x 100mm, PH2 x 125mm; Pozi PZ1 X 100mm, PZ2 x 125mm

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P363107	5060530351640	7 Piece Set	6	24





# Cutting Tools

**Tradesmen demand a lot from their cutting tools.**

Our utility knives and saws are designed for ease of use, so that you can change blades without the extra tools, cut faster and longer!





## PRO FIXED FOLDING KNIFE

### FEATURES

- Very compact foldable design
- Blade storage in handle - complete with 2 blades
- Very fast blade change
- Non-slip grip

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P221301	5060242339349	3 x 9.5 x 14.3 cm	4	12



## TRADE SNAP OFF KNIFE - 18MM

### FEATURES

- 18mm Snap off blade
- Auto lock feature
- Rubber grip
- Removable end cap to use to snap blades
- Display box of 24pcs

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T224018-24	19341231016032	3.2 x 8 x 21 cm	1	4



## PRO SOFT GRIP UTILITY KNIFE

### FEATURES

- Sleek “flipout” blade storage cartridge in the back of the handle for extra blades
- Quick blade change – “push the button”
- Ergonomic grip for ease of use
- Dual cutting position

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P220801	9341231032370	8.3 x 2 x 1 inches	12	120



## PRO HEAVY DUTY KNIFE BLADES - 10PK

### FEATURES

- Superior Industrial Grade Blade
- Fits Most Standard Utility Knives
- Special Heat Treatment
- Dispenser Pack, Keeps Blades Clean And Safe

Product code	Barcode	Qty	Inner Qty	Outer Qty
OX-P222010	5060242332159	10	20	100





## Cutting Tools

### PRO MASONRY SAW



#### FEATURES

- 750mm carbide tipped
- 34 tungsten carbide tipped teeth
- Suitable for lightweight concrete

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P133034	9341231020209	750mm	2	6

### PRO HAND SAW



#### FEATURES

- 550mm Length
- Dual Angle 8T/9P Teeth
- Re-usable Blade Protector
- OX Comfort Grip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P291355	9341231039072	550mm	10	40

### TRADE HAND SAW




#### FEATURES

- 500mm/20" Length
- Dual angle, 8tpi teeth for superior cutting performance
- High quality 65MN steel blade
- OX ergo fit handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T130950	9341231016646	500mm	10	40

### TRADE FIBRO CUTTER



#### FEATURES

- Steel handles
- Ergonomic handle design
- Easy to use
- Clean cut

Product code	Barcode	Capacity	Inner Qty	Outer Qty
OX-T230401	9341231013010	3/8" / 10mm	4	12





## PRO HIGH TENSION 12" (300MM) HACKSAW

### FEATURES

- Quick change blade design
- Bi-grip rubber handle
- Blade in either 45° / 90° cut position
- No tools needed to change blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P130730	9341231001062	12" / 300mm	4	16



## PRO 24TPI HACKSAWBLADES - 4PK

### FEATURES

- Superior Bi-Metal Construction
- Smooth Cust In All Types Of Metal
- Heat Treated Blade To Last Longer
- 4 Blades Per Pack

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P131324	5060242331886	6" / 150mm	50	200



## TRADE JAB SAW WITH HOLSTER

### FEATURES

- Supplied with protective holster for safety when not in use
- Hardened & tempered steel blade for increased life
- 8 Teeth per inch
- Non-slip ergonomic handle
- Excellent for wood, plastic & drywall

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T131516	5060242338717	6.5" / 165mm	12	36



## PRO AVIATION SNIPS

### FEATURES

- Heat treated alloy jaws
- Fully adjustable and replaceable jaws
- Rated to cut HRC49
- Max cut 1.5mm mild steel / 0.9 stainless steel

Product code	Barcode	Cut Direction	Inner Qty	Outer Qty
OX-P231001	9341231032448	Left	4	12
OX-P231002	9341231032455	Right	4	12
OX-P231003	9341231032462	Straight	4	12





# Plumbing & Electrical Tools

**The performance, service life and ergonomics of our tools are guided by the need to meet the high expectations of professional users.**

That is why we use particularly high-quality materials and modern production technology.






## PRO ULTRA-WIDE JAW ADJUSTABLE WRENCH

### FEATURES

- Ultra wide jaw opening
- Very slim head for access into tight spaces
- Precision hardened for durability
- Soft grip handle
- Measurement scale on jaw

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P324606	5060242337512	6" / 152mm	6	12
OX-P324608	5060242337529	8" / 200mm	4	12
OX-P324610	5060242337536	10" / 250mm	4	12
OX-P324612	5060242337543	12" / 300mm	4	12



## PRO DIAGONAL SIDE CUTTING PLIERS

### FEATURES

- Tough chrome vanadium steel
- Drop forged
- Hardened and tempered jaws
- Ergonomic grip handles with slip guards

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P321416	5060242337680	6" / 160mm	12	48



## PRO AUTOMATIC WATERPUMP PLIERS

### FEATURES

- Double dipped handle for comfort
- Tough chrome vanadium steel
- Automatic waterpump pliers for fast one hand size adjustment

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P326010	5060359914521	250mm / 10"	6	48
OX-P326012	5060359914538	300mm / 12"	6	48



## PRO PVC PIPE CUTTER 16 - 42MM

### FEATURES

- V Shape blade for immediate penetration.
- Exceptionally sharp stainless steel blade.
- Cuts through any MUPVC/PVC pipe effortlessly without kinking or shattering
- Replacement blade available(OX-P449701)

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P449542	5060359915795	16 - 42MM	12	36

### ■ PVC Pipe Cutter Replacement Blade

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P449701	5060359915993	200mm	10	24





## Site Tools & Accessories

### PRO SLIM-JAW ADJUSTABLE WRENCH



**New**

#### FEATURES

- Ultra slim head for easy accessibility in the most confined spaces
- Double ended with a fixed jaw at one end for nuts, bars, screws etc
- Precision hardened construction
- Measurement scale on jaw
- Special coating to eliminate rusting

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P560208	5060359918932	8" / 200mm	1	6

### PRO ADJUSTABLE STUBBY WRENCH EXTRA WIDE JAW



**New**

#### FEATURES

- short handled wrench for access in restricted spaces
- 0 - 53mm ultra wide opening slim jaws
- Dipped handle for comfort
- Heavy duty build for long life

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P560507	5060530350735	7" / 180mm	1	6

### PRO HEAVY DUTY SELF LOCKING WRENCH



**New**

#### FEATURES

- OX strength self locking grip
- Grips stainless steel tubes
- Super lightweight aluminium handle

Product code	Barcode	Size / Jaw Size	Inner Qty	Outer Qty
OX-P560110	5060359918789	10" / 250mm, 34mm	1	12

### PRO STILLSON WRENCH



**New**

#### FEATURES

- Forged from high quality steel
- Deeply grooved jaws for instant grip and ratcheting action
- Hardened and tempered steel adjustment nut

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P441812	5060359914569	12" / 300mm	1	6
OX-P441814	5060359914576	14" / 350mm	1	6

### PRO MAX LEVERAGE STRAIGHT JAW GRIPS



**New**

#### FEATURES

- Push button release for super fast and accurate adjustment
- Ultimate force distribution from jaws to handle providing incredible grip

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P562525	5060530353095	10" / 250mm	1	6



## PRO MULTI ANGLE WRENCH

### FEATURES

- 180° Quick action adjustable handle
- 10 Individual lockable handle positions
- Fully adjustable jaw up to 53mm
- Lightweight aluminium handle for strain free all-day use.
- Perfect for use in restricted areas

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P560610	5060530352173	10" / 250mm	1	6



## PRO ADJUSTABLE BASIN WRENCH

### FEATURES

- Telescopic basin nut wrench
- Reversible jaw for easy access
- 4 Adjustment sizes
- 10 To 32mm jaw capacity

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P448401	5060359914620	10 - 32 mm	1	15



## PRO LOCKING PLIERS

### FEATURES

- Forged and machined jaws for ultra strong grip
- Ideal for gripping pipes and bolts
- Chrome plated durable body
- Quick jaw release lever for ease of opening
- Soft grip dipped for greater comfort

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P449323	5060359915412	9" / 230mm	1	5



## PRO ADJUSTABLE TUBE CUTTER

### FEATURES

- Heavy duty telescopic tube cutter
- Smooth and accurate telescopic adjustment
- Cuts tubes from 6 - 35mm
- Deburring attachment for removing swarf
- Cuts copper, brass, aluminium and thin walled steel tubes

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P448635	5060359914668	3 - 35mm	1	25



## PRO REPLACEMENT CUTTING WHEEL - 2 PACK

### FEATURES

- Replacement cutting wheels suite for OX-P448635

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P560302	5060359919168	-	1	200







# Site Tools & Accessories

**OX offers a premium range of site tools to cater for every need.**

Our extensive range of shovels are manufactured to withstand the heat, the cold and the building site. Don't settle for something inferior.





## TRADE SPOT MARKING PAINT - 12 PACK

### FEATURES

- 12 Pack
- Lead free
- 350g aerosol can
- Professional quality hi-visibility colours
- Use on asphalt, dirt, concrete & timber
- Unique trigger cap for easy, safe, inverted marking
- Ideal for marking out roadworks, building sites, grass and sporting areas

Product code	Barcode	Size / Colour	Inner Qty	Outer Qty
OX-T022501	9341231000553	350g / Blue	6	12
OX-T022502	9341231000560	350g / Fluro Green	6	12
OX-T022503	9341231000577	350g / Fluro Orange	6	12
OX-T022504	9341231000584	350g / Fluro Pink	6	12
OX-T022505	9341231000591	350g / Fluro Red	6	12
OX-T022506	9341231000607	350g / White	6	12
OX-T022507	9341231000614	350g / Fluro Yellow	6	12



12  
BOX



## PRO 25MM RATCHET TIE DOWN - 4 PACK

### FEATURES

- 25mm X 4m polyester webbing
- Lashing capacity 350Kg
- Breaking strength 700Kg
- Pack of four straps
- Complies with AS/NZS
- Vinyl coated 'S' hooks at each end

Product code	Barcode	Lashing Capacity	Inner Qty	Outer Qty
OX-P200904	9341231024139	350kg	5	240



## PRO 35MM RATCHET TIE DOWN - SINGLE

### FEATURES

- Light weight
- Double locking mechanism
- 2 protective sleeves
- Complies with AS/NZS
- 35mm x 6m blue polyester webbing
- Lashing capacity 1250kg
- Breaking strength 2500kg
- Complies with AS/NZS 4380.2001

Product code	Barcode	Lashing Capacity	Inner Qty	Outer Qty
OX-P201306	9341231019241	1250kg	5	20



New

## PRO 50MM RATCHET TIE DOWN - SINGLE

### FEATURES


- Light weight
- Double locking mechanism
- 2 protective sleeves
- Complies with AS/NZS
- 50mm x 9m blue polyester strap
- Lashing capacity 2500kg
- Breaking strength 5000kg
- Complies with AS/NZS

Product code	Barcode	Lashing Capacity	Inner Qty	Outer Qty
OX-P201109	9341231011078	1250kg	5	25





## Site Tools & Accessories



### PRO RODLESS CAULK GUN

#### FEATURES

- Patented design unique To OX Tools
- Lightweight polycarbonate housing
- Single component applicator
- Total length: 340mm
- Capacity: 310ml



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P044910	9341231018626	340 mm / 7:1 Thrust Ratio	1	12



## PRO CAULKING GUN

### FEATURES

- Skeleton frame
- 6mm hex rod with ladder hang hook
- Quick release lever

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P040109	9341231011719	400ml	12	24



## PRO TUBULAR SEALANT GUN

### FEATURES

- Quick release lever
- Suits 600mm bulk cartridges
- Aluminium tube

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P040215	9341231007361	15" / 380mm	4	12



## PRO SEALANT GUN REPLACEMENT PARTS

### FEATURES

- Genuine OX sealant gun parts
- Suits OX pro sealant gun

Product code	Barcode	Part	Inner Qty	Outer Qty
OX-P049801	9341231011702	Nozzle - 6PK	12	120
OX-P049802	9341231011757	Plunger Cap	6	12
OX-P049803	9341231013508	Threaded Collar	6	12
OX-P049804	9341231013515	Plunger Slide Sleeve	6	12



## PRO 750MM SAW HORSE - PAIR

### FEATURES

- Locking pin
- Lockable legs
- Length 750mm in height
- Solid bamboo benchtop 800mm
- Durable and sturdy saw horse set

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P335675	9341231034466	750mm	5	10



## PRO SAW HORSE - 900MM WORK HEIGHT

### FEATURES

- Locking pin
- Lockable legs
- Length 900mm in height
- Solid bamboo benchtop 1000mm
- Durable and sturdy saw horse set

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P335690	9341231016325	900mm	1	2







## Site Tools & Accessories

### TRADE FLOOR SCRAPER

#### FEATURES

- All steel construction & spring steel blade

Product code	Barcode	Blade Size	Inner Qty	Outer Qty
OX-T050508	9341231011856	8" / 204mm	3	6
OX-T050512	9341231011863	12" / 300mm	3	6
OX-T050514	9341231033742	14" / 350mm	3	6
OX-T050520	9341231033759	20" / 500mm	3	6

- Replacement spring steel blade

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-T059408	9341231033766	OX-T050508	10	40
OX-T059412	9341231033773	OX-T050512	10	40
OX-T059414	9341231033780	OX-T050514	10	40



### PRO ALL STEEL FLOOR SCRAPER


#### FEATURES

- All steel construction
- Spring steel blade
- T-Grip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P050208	9341231001765	8" / 204mm	3	6

- 204mm Floor Scraper Blade Replacement

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P059808	9341231001789	OX-P050208	4	18



### PRO FLOOR SCRAPER

#### FEATURES

- Spring steel blade
- Braced for extra strength
- All steel head with hardwood handle

Product code	Barcode	Blade Width	Inner Qty	Outer Qty
OX-P050314	9341231013041	14" / 356mm	3	6

- Replacement spring steel blade

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P059714	9341231021954	OX-P050314	10	40

- 500mm Floor Scraper Blade Replacement

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P059720	9341231021961	20" / 500mm	12	36



### PRO HEAVY DUTY FLOOR SCRAPER


#### FEATURES

- All steel construction
- Spring steel blade
- Trapezoid blade
- T-Grip handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P050408	9341231021473	8" / 200mm	3	6

- Replacement spring steel blade

Product code	Barcode	Suits	Inner Qty	Outer Qty
OX-P059608	9341231021480	OX-P050408	6	84







## TRADE CONCRETES SHOVEL - HAMMERTONE

### FEATURES

- 'D' grip handle
- Head size: 250mm x 300mm
- Length: 1040mm
- All steel, pressed and welded construction with a hammertone finish

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-T281307	9341231016660	1040mm	12	24



## TRADE SQUARE MOUTH SHOVEL

### FEATURES

- 'D' grip handle
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-T280107	9341231000089	1040mm	6	60
OX-T280109	9341231000072	1200mm	6	60



## TRADE SQUARE MOUTH SHOVEL - LONG HANDLE

### FEATURES

- Long handle – rubber grip
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-T280212	9341231000096	1500mm	6	60



## TRADE POST HOLE SHOVEL

### FEATURES

- Post hole shovel for digging deep/narrow holes as well as pits, fencing and shallow trench digging
- Treaded blade allows for easy digging
- 1.2m fiberglass handle (wall thickness of 3mm) with timber reinforcing for strength & durability
- Stainless steel connecting ring (shovel head & handle) used for: concreting, landscaping, gardening & mechanics anti slip handles grips
- 1.6kg overall weight

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-T281601	9341231018107	153 x 19.8 x 3cm	6	24





## Site Tools & Accessories

### PRO TOUGH HAND WIPES



#### FEATURES

- 80 wipes per pack
- Heavy duty double sided wipes ideal for aggressive cleaning with one side and smooth wiping and soaking up with the other!
- Extra large wipes - 20% better value
- Anti-bacterial - kills 99.99% of germs!
- Added Aloe Vera - keeps skin healthy
- Double sided - abrasive side & smooth side for dual action  
Removes: Oil, Adhesive, Paint, Silicone, Glue, Sealant, Grime, PU Foam, Plaster & Cement

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P350580	5060359916792	80 Sheets	12	60

### PRO PLASTIC BUCKET



#### FEATURES

- Made in Spain
- Safety metal handle
- High grade moulded rubber

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P110610	9341231035715	10L	10	20

### PRO MASONRY BUCKET



#### FEATURES

- Flexible HDPE material
- Non-marking smooth base
- Safety metal handle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P110215	9341231007354	15L	10	20



## PRO RUBBER BUCKET WITH POURING LIP

### FEATURES

- Made in Spain
- Reinforced profile
- High grade moulded rubber

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P110615	9341231034473	15L	10	20



## PRO HEAVY DUTY RUBBER BUCKET

### FEATURES

- Made in Spain
- Reinforced profile
- High grade moulded rubber

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P110640	9341231034435	40L	10	20



## TRADE TRIGGER SPRAYER

### FEATURES

- Twist lock pump handle
- Smooth operating trigger
- Ergonomic handles for comfort & control

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-T042005	9341231032240	500ml	6	12
OX-T042010	9341231032257	1000ml	6	12



## PRO EXTENSION LEAD

### FEATURES

- Super duty 15 AMP cable
- Industrial plug and socket
- LED 'power on' light
- 10A plug

Product code	Barcode	Length	Inner Qty	Outer Qty
OX-P311720	9341231029448	20M	4	12
OX-P311730	9341231029455	30M	4	12





# Tool Storage

We take our work seriously and believe that every detail has to be designed and manufactured with great care to ensure our products really work and also look good.

If you are looking for hard wearing, functional tool storage solutions to cope with the most extreme work conditions – OX has what you need!



## PRO TOTE BAG

### FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Waterproof base moulded to fabric
- Heavy-duty steel handle with rubber grip
- Open structure for quick and easy tool access
- Multiple use tool compartments

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P262618	5060242338618	18"	4	16





## PRO TUFF BAG

### FEATURES

- Jumbo size tuff bag
- Tough 600D construction with heavy duty webbing, handles and zip
- Integrated castors, handle and detachable shoulder strap

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P265501	9341231043093	24in x 12in x 13.5in (61cm x 30.5cm x 34cm)	6	36



## PRO STORAGE BAG

### FEATURES

- 15" Dynamic Nylon storage bag for extreme durability
- Front pouches to hold frequently used tools
- Wide mouth to easily store tools
- Durable should strap for portability
- Reinforced stitching at stress points

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P262930	9341231019050	15"	6	36



## PRO LEATHER TOOL POUCH WITH BELT - 10 POCKET

### FEATURES

- 2 large inverted pockets, 2 medium, 6 small pockets
- Riveted for added strength
- A leather type pocket, 2 metal hammer hangers
- Heavy duty leather belt with roller buckle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P260701	9341231010545	36"	6	12
OX-P260702	9341231010552	40"	6	12



## PRO LEATHER NAIL POUCH

### FEATURES

- 1 large main pocket, 1 metal hammer hanger, 1 belt level inner pocket, 2 front nail tool pockets
- Riveted & belt slot 2 front nail tool pockets
- Riveted & belt slot

Product code	Barcode	Inner Qty	Outer Qty
OX-P260705	9341231010583	6	12



## PRO LEATHER CARPENTERS POUCH

### FEATURES

- Heavy duty oil tanned leather
- A metal tape holder, 3 small tool pockets & 2 leather hammer pockets
- One large main pocket with inner level pockets, 2 front nail pockets
- Riveted & wide belt slots

Product code	Barcode	Inner Qty	Outer Qty
OX-P260703	9341231010569	6	12







## Tool Storage

### TRADE HEAVY DUTY SUEDE LEATHER

#### FEATURES

- Quick Release Buckle
- Heavy Duty Suede Leather; Rivet Reinforced At Stress Points
- Double Row Stitching For Added Strength And Durability
- 2" Wide Heavy Duty Webbing Belt With A Quick Release Plastic Buckle

#### 2 POCKET

- One Large Wide Mouth Main Pocket; One Medium Size Front Pocket

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-T265102	9341231018220	2 Pocket Nail Bag	6	24

#### 6 POCKET

- Two Large Wide Mouth Main Pockets; One Medium Size Front Pocket
- 3 Small Tool/Pencil Pockets; 1 Fixed Type Metal Hammer Holders
- Leather Pocket To Hold Most Common/Popular Tape Measures

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-T265301	9341231018244	6 Pocket Tool Belt	6	24

#### 10 POCKET

- Two Large Wide Mouth Main Pockets; Two Medium Size Front Pockets; 6 Small Tool/Pencil Pockets; 2 Fixed Type Metal Hammer Holders

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-T265202	9341231018237	10 Pocket Tool Belt	6	24

### PRO LEATHER TOOL BELT

#### FEATURES

- High quality leather
- Heavy duty oil tanned leather
- Double stitching
- Metal roller buckle

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P260736	9341231010644	36"	6	24
OX-P260740	9341231010651	40"	6	24

### PRO OIL TANNED LEATHER NIP HOLDER

Product code	Barcode	Description	Inner Qty	Outer Qty
OX-P265401	9341231018251	Leather Nip Holder	1	50





## PRO LEATHER HAMMER HOLDER - FIXED

### FEATURES

- Fixed type
- Heavy duty leather
- Wide belt slots
- Rust proof fixed metal hammer hanger

Product code	Barcode	Inner Qty	Outer Qty
OX-P260501	9341231010590	6	24



## PRO LEATHER HAMMER HOLDER - SWIVEL

### FEATURES

- Swivel type
- Heavy duty leather
- Wide belt slots
- Rust proof fixed metal hammer hanger

Product code	Barcode	Inner Qty	Outer Qty
OX-P260502	9341231010606	6	24



## PRO LEATHER TAPE MEASURE HOLDER

### FEATURES

- Fits most model of tapes
- Two finger push up pocket
- Close with strap & snap
- Wide belt slots

Product code	Barcode	Inner Qty	Outer Qty
OX-P260503	9341231010613	6	24



## PRO LEATHER CHISEL HOLDER

### FEATURES

- Heavy duty leather
- Wide belt slots
- Designed to fit most chisels, rules and knives

Product code	Barcode	Inner Qty	Outer Qty
OX-P260504	9341231010620	6	24



## PRO LEATHER CORDLESS DRILL HOLDER

### FEATURES

- Angled type
- Fits medium to large size cordless drill
- 3 small bit pockets, close with strap & snap wide belt slots

Product code	Barcode	Inner Qty	Outer Qty
OX-P260505	9341231010637	6	24





# Safety Equipment

**If you are looking for hard wearing, functional Personal Protection Equipment to cope with the most extreme work conditions – OX has what you need.**

By controlling the entire chain, from design to production to the central warehouse, we can be sure that our products are of unmatched quality and consistency.

All OX safety products meet 'EN or CE standards' where applicable.

OX is known for a 'whatever it takes attitude'. Our products pass extensive network of quality checks. If we have failed somewhere in the chain, we will correct it. To us a failed product is the same as a broken trust.

Once you have tried OX Safety you will never leave it!





## SAFETY GLASSES – STANDARD CLEAR

### FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337

Product code	Barcode	Colour	Inner Qty	Outer Qty
OX-S240210	9341231011320	Clear	12	144



Clear

## SAFETY GLASSES – STANDARD SMOKE

### FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337

Product code	Barcode	Colour	Inner Qty	Outer Qty
OX-S240220	9341231011337	Smoke	12	144



Smoked

## SAFETY GLASSES – STANDARD BLUE MIRRORED

### FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337

Product code	Barcode	Colour	Inner Qty	Outer Qty
OX-S240230	9341231011344	Blue mirrored	12	144



Blue Mirror





## Safety Equipment

### SAFETY NUBUCK ZIPPER BOOT

#### FEATURES



*New & Improved!*



- Heavy duty hexagonal metal eyelets
- Steel toe cap & mid-sole
- 8 gauge YKK straight zip
- Water resistant oxford nylon mesh panel for comfort, breathability & wicking
- SRC outsole for slip resistance.
- Anti-static & fuel resistant.
- Removeable PU moulded gel Insole for extra comfort and cushioning
- PU/rubber density outsole – heat resistant to 300 °C
- TPU anti-scoff protection
- Full grain cow leather (1.6 – 1.8mm)
- Available in sizes: 6–13



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-P483306	9341231017933	6" (33x25x12)	5	25
OX-P483307	9341231017940	7" (33x25x12)	5	25
OX-P483308	9341231017957	8" (33x25x12)	5	25
OX-P483309	9341231017964	9" (33x25x12)	5	25
OX-P483310	9341231017971	10" (33x25x12)	5	25
OX-P483311	9341231017988	11" (36x26x13)	5	25
OX-P483312	9341231017995	12" (36x26x13)	5	25
OX-P483313	9341231018008	13" (36x26x13)	5	25

### SAFETY WATER PROOF SAFETY BOOT (PVC)

#### FEATURES

- Oil, acid and abrasion resistant
- Tradesman quality with steel safety toe
- Reinforced ankle and shin for greater protection
- Sole channelling for improved liquid disposal and slip resistance



*New & Improved!*



Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S242406	5060242331541	6	5	10
OX-S242407	5060242331558	7	5	10
OX-S242408	5060242331565	8	5	10
OX-S242409	5060242331572	9	5	10
OX-S242410	5060242331589	10	5	10
OX-S242411	5060242331596	11	5	10
OX-S242412	5060242331602	12	5	10
OX-S242413	5060242331619	13	5	10





## SAFETY DISPOSABLE MASKS – NON TOXIC

### FEATURES

- Non toxic dust mask
- Aluminium nosepiece can be moulded to fit
- Lightweight and comfortable for extended wear
- Ideal for protection against large dust particles

Product code	Barcode	Qty Per Pack	Inner Qty	Outer Qty
OX-S242110	9341231013881	10	5	100
OX-S242150	9341231024214	50	12	24



## SAFETY DISPOSABLE MASKS – P1 DUST MASK

### FEATURES

- P1 rating for protection against mechanically generated particles
- Unique design for wide variety of face profiles
- Dual straps for firm and comfortable fit
- Complies with AS/NZS1716

Product code	Barcode	Qty Per Pack	Inner Qty	Outer Qty
OX-S240605	9341231013867	5	6	72
OX-S240620	9341231024184	20	12	24



## SAFETY DISPOSABLE MASKS – P2 DUST MASK

### FEATURES

- P2 rating for protection against mechanically and thermally generated particles
- Unique design for wide variety of face profiles
- Dual straps for firm and comfortable fit
- Complies with AS/NZS1716

Product code	Barcode	Qty Per Pack	Inner Qty	Outer Qty
OX-S240810	9341231000157	20	12	24



## SAFETY DISPOSABLE MASKS – P2V DUST MASK

### FEATURES

- P2 rating for protection against mechanically and thermally generated particles
- Exhalation valve for increased air flow
- Dual straps for firm and comfortable fit
- Complies with AS/NZS1716

Product code	Barcode	Qty Per Pack	Inner Qty	Outer Qty
OX-S240903	9341231013874	3	3	72
OX-S240910	9341231000164	12	12	24





## Safety Equipment

### SAFETY LATEX GLOVES - POLYESTER LINED



#### FEATURES

- Gauge polyester, knit wrist, latex crinkle coated palm
- Made of a high-performance latex, providing outstanding combination of strength and chemical resistance
- Offers protection against snags, punctures, abrasions, and cuts
- Minimum perspiration
- Comply with CE standard regulations, meet with EN420 and EN388

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S481310	9341231037610	10	12	144

### SAFETY NITRILE GLOVES - NYLON LINED



#### FEATURES

- 15 Gauge nylon, knit wrist, nitrile foam coated palm
- Made of a high-performance nitrile, providing outstanding combination of strength and chemical resistance
- Offers excellent dry grip by moving oils and liquids away from the glove surface
- Excellent breathability
- Comply with CE standard regulations, meet with EN420 and EN388

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S481410	9341231037627	10	12	144

### SAFETY POLYESTER LINED NITRILE GLOVE - 5 PACK



#### FEATURES

- Durable rubber face with foam 'liner'
- 13 Gauge polyester knit wrist with a smooth nitrile coated palm
- Made of high-performance nitrile, provides outstanding combination of strength and grip
- Offers excellent dry grip by moving oils and liquids away from the glove surface. Prevents grease oil and water penetration
- Complies with CE standard regulations, meet with EN420 and EN388

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S484609	9341231018732	9	25	250
OX-S484610	9341231017513	10	25	250



## SAFETY STANDARD KNEEPADS – DOUBLE STRAP

### FEATURES

- Durable rubber face with foam 'liner'
- Quick release 'hook and loop' fastening
- One size fits all
- Ideal for professional trade, D.I.Y or gardening

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S240102	9341231011740	One Size Fits All	4	24



## SAFETY GEL KNEEPADS – PREMIUM

### FEATURES

- Anti compression air injected gel
- Foam core gives maximum cushioning
- Perforated neoprene lining keeps away moisture

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S242006	9341231001161	One Size Fits All	4	16



## SAFETY RED/WHITE DOUBLE SIDED BARRIER TAPE - BOX OF 20

### FEATURES

- Heavy duty plastic
- Red and white striped
- Double sided print

Product code	Barcode	Size	Inner Qty	Outer Qty
OX-S243210	9341231011979	75mm x 100m	1	10







# Merchandising







Also for storing products  
inside the stand



#### ME-DSMS04

Versatile display option for stocking a wide range of OX products with 4 sides and the ability to move easily.  
Dimensions: W: 66CM x H: 178CM x D: 66CM

Compact low gondola stand with double sided kit available for extra flexibility.  
Dimensions: 103CM x 151CM x 52/98.5CM





## Merchandising



### OX Stackable Box Display - 34cm Wide

OXPOS-STACKBOX

Dimensions:

W: 34CM x H: 41CM x D: 46CM



### OX Level Display Stand

OXPOS-LEVEL1

Dimensions:

W: 36.5CM x H: 46CM x D: 26CM

(measurements do not include any levels)




### OX Hammer Rack - Suits 3 Hammers

ME-DSHR03

Dimensions:

W: 25CM x H: 53CM x D: 16CM



### OX 1/4 Pallet Dump Bin with 5 Insert Trays

OX-DS450205

Dimensions:

W: 58.5CM x H: 100CM x D: 58.5CM



### OX Diamond Counter Display - 4", 5" and 9"

OX-DS451703

Dimensions:

W: 50CM x H: 32CM x D: 14CM



### OX Universal Counter Display - 2 Hook

OX-D452402

Dimensions:

W: 30CM x H: 40CM x D: 15CM



# Diamond Blade Troubleshooting Guide

## LOSS OF TENSION



### CAUSES

Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.

Inadequate water is supplied to the blade.

Bad spindle bearings, worm mounting arbor, or misaligned shaft.

Loss of power, resulting from loose drive belts or improper voltage.

### REMEDIES


Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.

Make sure water hoses are clean and free from any blockages. Approximately nine litres of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 litres per minute are required.

Replace defective parts.

See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

## BLADE WOBBLES



Blade is too hard for material being cut.

Blade has become dull as a result of being used on too hard a material.

Blade does not cut material it was specified for.

Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

Select the proper blade specification for the material being cut. Consult blade recommendation chart.

Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.


First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.

Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.



## Diamond Blade Troubleshooting Guide

### SEGMENT LOSS



### CAUSES

On masonry saws, the material is not held firmly, which causes the blade to twist or jam in the cut and loosen the segment.

Overheating is due to inadequate supply of water or complete loss of water. This is usually accompanied by discolourations which appear on the steel centre near the area of segment loss.

Steel centre is worn thin as a result of undercutting by abrasive fines generated during cutting. The steel centre (blank) wears to a knife edge, weakens and causes a segment to be separated.

Defective blade collars cause the blade to flutter in the cut or fail to adequately support the blade in perfect alignment.

Blade is too hard for material being cut, causing excessive dullness and segment separation due to impact or fatigue. This can also cause frictional heat that can melt the braze when insufficient water is supplied to the blade.

Blade is cutting out of round resulting in a pounding impact.

Improper blade tension causes high pressure on the segments and subsequent failure of the brazed joint.

### REMEDIES

Hold the material firmly against the backstop.

Provide adequate water flow to both sides of the blade. Look for line blockages. On concrete saws, temporary complete loss of water can result from equipment running over the water feed hoses.

Use sufficient water to flush fines out of the cut. If generated fine s are highly abrasive, blades with undercut protection.

Clean foreign material from the blade clamping disc surfaces, ore replace clamping discs if they are under manufacturer's recommended diameter.

Use the proper blade specifications for the material being cut.

Replace worn bearing, realign blade shaft, or replace worn spindle.

Make sure the running speed of equipment is specified when ordering blades. On concrete saws, the spindle speed should be checked with a tachometer to ensure that each diameter blade is running at the recommended cutting speed and blade-tensioned speed.

### DISTORTED CENTRE STEEL



Inadequate tightening of the blade on concrete saw mounting shaft. This causes drive pin to force its way through blade blank.

Dropping saw head with mounted blade particularly on concrete saws. Also dropping objects on unmounted blade distorts blade blanks.

Tighten clamping nut securely.

Avoid dropping the blade. Protect blade from abuse and handle with care.



## Diamond Blade Troubleshooting Guide

### UNEVEN SEGMENT



### CAUSES

Insufficient water, generally to one side of the blade, reduces side clearance and does not flush out fines.

Equipment defects cause the segment to wear unevenly.

Saw head is misaligned.


### REMEDIES

Flush out the water system. Make certain that water is adequately and evenly distributed to both side of the blade.

Replace bad bearings, worn or misaligned spindle. On concrete saws, the engine must run smoothly to prevent harmonic vibrations which cause the blade to pound on a regular cycle basis.

Check saw head alignment for squareness both vertically and horizontally.


### CRACKS IN SEGMENTS



The blade is too hard for the material being cut.

Use blade with a softer bond.

### CRACKS IN STEEL CENTER



Blade flutters in a cut as a result

Blade specification is too hard for material being cut.

Forcing blade in operation.

Twisting blade in cut.

Tighten the blade clamping disc nut. Be sure that the blade is running at the properly tensioned speed and that the drive pin is functioning properly.

Use softer blade bond to eliminate stresses which create cracks.

Allow blade to cut freely without bouncing.


Ensure blade is kept in straight line do not force around corners.





## Diamond Blade Troubleshooting Guide

### SHORT LIFE



### CAUSES

Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.

Inadequate water is supplied to the blade.

Bad spindle bearings, worm mounting arbor, or misaligned shaft.

Loss of power, resulting from loose drive belts or improper voltage.

### REMEDIES


Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.

Make sure water hoses are clean and free from any blockages. Approximately nine litres of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 litres per minute are required.

Replace defective parts.

See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

### BLADE WILL NOT CUT



Blade is too hard for material being cut.

Blade has become dull as a result of being used on too hard a material.

Blade does not cut material it was specified for.

Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

Select the proper blade specification for the material being cut. Consult blade recommendation chart.

Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.


First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.

Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.



## Diamond Blade Troubleshooting Guide

### BLADE BORE OUT-OF-ROUND



#### CAUSES

Blade collar is not properly tightened, permitting blade to either rotate or vibrate on shaft.

Blade collars are worn or dirty not allowing proper blade clamping.

Blade is not properly mounted.

#### REMEDIES

Tighten the spindle nut with a spanner to make certain that the blade is adequately secured to prevent rotation on shaft.

Clean blade collars, making sure they are not worn. Tighten arbor nut properly.

Make certain the blade is mounted on the proper shaft diameter before tightening arbour nut. On concrete saws, make certain the pin hole slides over arbour drive pin. Never depend on the drive pin to actually drive the blade. A drive pin is simply a safety measure to prevent the blade from spinning on its spindle should the nut become loose.


### UNDERCUTTING STEEL CENTRE



Abrading or wearing away of the steel centre faster than the diamond segment is due to highly abrasive fines generated during cutting.

Use as much water as possible to flush out fines generated during cutting or use blades with undercut protection. NOTE: Blades with undercut protection are not always the final answer to eliminating undercutting. Are must still be taken to provide sufficient water to the steel centre are immediately adjacent to the segment. This is especially important when making deep cuts.

### BLADE WORN OUT-OF-ROUND



Shaft bearings on masonry or concrete saws are worn, causing the blade to run eccentrically and wear out-of-round.

Engine is not properly tuned on concrete saws, causing surges in blade rotation.

Blade spindle hole is damaged from previous mismounting.

Blade mounting spindle is worn. A groove may have been scoured on the mounting spindle as a result of previous blades spinning on the arbor. When a new blade is placed on such a worn spindle, it seats improperly and runs eccentrically.

Blade slips on arbor shaft.

Bond is too hard for material causing machine to 'pound' at regular intervals, wearing one half of the blade more than the other half.

Install new blade shaft bearings or blade shaft, as required.

Tune engine according to saw manufacturer's manual.

For large diameter blades it may be possible to rebraze segments to a new centre.

Replace worn shaft or spindle bushing.

On a masonry saw, tighten the blade collar. On a concrete saw, make certain that the drive pin is functioning.

Use proper blade specification.



## FAQ's

Can I place an order without an account? .....

How do I apply for an account? .....

How long will it take for my account to be opened? .

Do you provide your pricelist in an excel version? .....

Do you accept credit cards? .....

Do you have a minimum order value? .....

Do you offer same day dispatch? .....

Does OX sell to the public? .....

How long has the OX brand been around? .....

What are the pack quantities? .....

What category do you specialise in? .....

What is my sales representative's mobile number? ..

What is our minimum order value for FIS? .....

What is the freight charge under FIS? .....

What is your returns policy? .....

## Answers

An account application must be completed and approved as an eligible distributor before placing orders.

Email the Customer Service Team at [sales.au@oxtools.com](mailto:sales.au@oxtools.com) for an account application form.

Once the application has been submitted, it will be reviewed within 5 business days.

Contact the Customer Service Team at [sales.au@oxtools.com](mailto:sales.au@oxtools.com) to receive a copy.

Mastercard, VISA and Amex are accepted.

\$50 is the minimum order value.

All orders placed by 12:00pm AEST will be dispatched the same day

OX only sells to authorised resellers, these distributors can be located on our website.

Our tool range was born in 1974 in Perth, Australia and was launched under the OX brand at the beginning of 2010.

All pack quantities are listed in this catalogue.

OX Tools has 46 years of experience in the wet trade tool market, diamond tool market and offers a range in multiple categories in the construction industry.

Call the Customer Service Team on 02 8845 6600 and they can provide your sales representative's mobile number.

\$350 Net

\$30.00 excluding access products. Contact our Customer Service Team for a price for freight costs on our access product range.

At OX, we have a sale or return policy. If you cannot sell an OX brand product within 3 months of purchase, simply return it in a suitable/saleable condition for a full refund.



# Terms and Conditions

## 1. INTERPRETATION

- (a) 'Contract' means the standard trading terms and conditions of sale (which applies to each and every Quotation and/or Order) and includes any Quotation and Order.
- (b) 'OX Tools' means OX Tools AU Pty Ltd (ABN 41151919569).
- (c) 'Customer' means the entity to which 'OX Tools' enters into a Contract for the sale of Goods.
- (d) 'Goods' means the products described in the Quotation or Order and includes replacement products.
- (e) 'Order' means a written or verbal order from the Customer to OX Tools.
- (f) 'Quotation' means a written or verbal quotation provided by OX Tools to the Customer.

## 2. ORDERS

- (a) Orders for Goods will be binding upon OX Tools and the Customer. However, OX Tools reserves the right to accept orders in whole or in part.
- (b) Once OX Tools has accepted an Order, the customer may not alter or modify the Order without the prior written consent of OX Tools.
- (c) A 30% restocking fee applies to all returned goods providing they are in re-saleable condition.

## 3. PRICES

- (a) All prices contained in the Quotation and/or Order will be exclusive of GST. All prices are in Australian dollars and subject to alteration without notice. All invoices are in Australian dollars and must be settled in Australian dollars.
- (b) Any order placed with a value of under \$50.00 excluding GST will not be processed. This minimum invoice value does not apply to back-orders.
- (c) Orders with an invoice value of over \$350.00 excluding GST will be shipped free in-store.
- (d) Orders with an invoice value of under \$350.00 excluding GST will incur a freight charge of \$30.00 + GST (freight charges subject to change).

## 4. PAYMENT AND CREDIT TERMS

- (a) Unless otherwise agreed in writing, the payment due date is strictly thirty (30) days from the end of the month in which the Goods are sold to the Customer.
- (b) Accounts with overdue balances will automatically have credit withdrawn until all outstanding balances are cleared. OX Tools reserves the right to charge interest at the rate of 2% on all overdue balances calculated on a daily basis from the due date until such amount is paid.
- (c) If the Customer defaults in payment of any invoice when due, the Customer will indemnify OX Tools from and against all OX Tools' costs and disbursements including a solicitor and own client basis and in addition to OX Tools' nominee's costs of collection.

## 5. DELIVERY OF GOODS AND RISK

- (a) Delivery of the Goods shall be made to the Customer's address. The Customer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- (b) The failure of OX Tools to deliver will not entitle the Customer to treat this Contract as cancelled.
- (c) OX Tools will not be liable for any loss or damage whatever due to failure by OX Tools to deliver the Goods (or any part of them) promptly or at all.
- (d) All risk for the Goods passes to the Customer on delivery even if OX Tools retains ownership.
- (e) Delivery will be free in store (FIS) Australia wide for Orders in excess of \$350.00 excluding GST. However, the Customer will be liable delivery charges if a delivery date is required outside of usual delivery times. Orders less than \$350.00 excluding GST will be subject to the current freight charge of \$30.00 + GST (freight charges subject to change)

## 6. RETENTION OF TITLE

- (a) All Goods remain the property of OX Tools until the Customer has paid for the Goods in full. If payment is made by cheque, payment will not be deemed to have been made until the cheque has been honoured.
- (b) If the Goods are on-sold by the Customer before payment to OX Tools, the proceeds of sale will become property of OX Tools.
- (c) If the Goods are not paid for pursuant to clause 4, OX Tools may give notice in writing to the Customer to return the Goods or any part of them to OX Tools.

- (d) OX Tools may enter the Customer's premises without notice at any time and take possession of the Goods and without being responsible for any damage thereby caused if:

- (i) The Customer does not pay for the Goods under clause 4;
- (ii) The Customer fails to return the Goods upon demand;
- (iii) A trustee in bankruptcy, administrator or receiver is appointed over the Customer;
- (iv) Winding-up proceedings in relation to the Customer are commencing; or
- (v) The Customer becomes bankrupt.

## 7. CLAIMS

- (a) The Customer will inspect the Goods on delivery and will within seven (7) days of delivery notify OX Tools in writing of any alleged defect, shortage in quantity, errors, omissions or failure to comply with the Order or Quotation.
- (b) The Customer will afford OX Tools the opportunity to inspect the Goods within a reasonable time of delivery if the Customer believed the Goods are defective in any way. If the Customer fails to comply with these provisions, the Goods will be deemed to be free from any defect or damage and payment will be owing under this Contract.
- (c) If OX Tools agrees in writing that the Customer is entitled to reject the Goods because they are defective:
  - (i) The Goods must have a corresponding invoice number quoted;
  - (ii) Freight charges incurred for the return of the Goods being returned is at the expense of the Customer, unless otherwise agreed; and
  - (iii) OX Tools' liability is limited to either replacing or repairing the Goods at its discretion.
- (d) OX Tools does not warrant that the Goods are fit for any particular purpose or an intended use by the Customer.

## 8. LIMITATION OF LIABILITY

- (a) Subject to clause 8(b), OX Tools will have no liability whatsoever for any direct or indirect losses, expenses, damages and costs incurred by the Customer caused by any breach by OX Tools of this Contract or any negligent act or omission.
- (b) The liability of OX Tools to the Customer in the event of any breach of this Contract or other cause of action will not exceed the prices of the Goods.

## 9. PRIVACY ACT 1998

- (a) The Customer agrees for OX Tools to obtain from a credit-reporting agency and the trade referees a credit report containing personal credit information about the Customer and any additional information required by OX Tools.
- (b) OX Tools may exchange information about the Customer with those trade referees name in the application form for a trading account or named in a consumer credit report issued by reporting agency to:
  - (i) Assess the Customer's application;
  - (ii) Notify other credit providers of a default by the Customer;
  - (iii) Exchange other information with other credit providers as to the status of the trading account, if the Customer is in default with other credit providers; and
  - (iv) Assess the credit worthiness of the Customer.

## 10. GENERAL

- (a) If any provision of these terms and conditions becomes void or unenforceable, it will be severed from this agreement without affecting the enforceability of the other provision, which will continue to have full force and effect.
- (b) These terms and conditions are governed by the laws of New South Wales and each party irrevocably and unconditionally submit to the nonexclusive jurisdiction of the courts of New South Wales.
- (c) OX Tools may terminate or vary this Contract or cancel delivery of Goods at any time before the Goods are delivered by giving written notice. OX Tools will not be liable for any loss or damage whatever arising from termination or cancellations.
- (d) The Customer acknowledges and agrees that the goods sold to the Customer by OX Tools cannot be offered for sale through third party shopping websites or platforms (including but not limited to

eBay and Gumtree) without the express written authorisation of OX Tools.

## 11. PERSONAL PROPERTY SECURITY ACT (PPSA)

11.1 The Customer agrees, at the request of OX Tools, to enter into a Security Agreement with OX Tools to grant in favour of OX Tools a Security Interest in all the Customer's present and after acquired property relating to the Goods.

11.2 The Customer acknowledges and agrees that it shall, within 14 days of request from OX Tools, do all things and sign all documents as required by OX Tools to register, confirm or validate the Security Interest created over the Customer's assets by any Security Agreement.

11.3 OX Tools may exercise its rights under the Security Agreement any time after the Customer fails to comply with this Agreement, without OX Tools first having to take any action or enforce any of its other rights against the Customer.

11.4 The Customer will be entitled to a release of the Security Agreement when all its obligations under this Agreement have been satisfied.

11.5 The Customer shall not without OX Tools' prior written consent, which will not be unreasonably withheld, do any of the following:

- (a) acquire any asset which is, or upon acquisition, will be subject to a Security Interest which is not a Permitted Security Interest; or
- (b) give any person other than OX Tools control or possession of the Goods (other than under a Permitted Security Interest).

11.6 The Customer agrees that it will promptly take such action as OX Tools may require (including providing information or signing documents) to ensure that any Security interest granted in favour of OX Tools attaches to the secured property and to enable OX Tools to perfect any such Security Interest or otherwise exercise any rights that it may have under the PPS Law in relation to the secured property.

11.7 The Customer acknowledges and agrees that, from the registration commencement time under the PPSA:

- (a) it shall not cause or permit any person to take a Security Interest over, or to register a financing statement in relation to, any secured property without the prior written consent of OX Tools and will immediately notify OX Tools if it becomes aware of any person taking steps to register a financing statement in relation to such secured property;
- (b) it has no rights under, or by reference to, sections 125, 142 and 143 of the PPSA if it defaults and OX Tools takes enforcement action under this Agreement in respect of the secured property;
- (c) it waives its rights to:
  - (i) receive any notice under sections 95, 130 and 135 of the PPSA in relation to the enforcement of any Security Interest over the secured property;
  - (ii) receive a statement of account under section 132(3)(d) and 132(4) of the PPSA if OX Tools disposes of any of the secured property following repossession of that secured property; and
  - (iii) receive a copy of, or notice of, any verification statement confirming registration of a financing statement or a financing change statement relating to any Security Interest under, or provided for by, this Agreement.

11.8 Except if section 275(7) of the PPSA applies, each party to this Agreement agrees not to disclose any information of the kind referred to in section 275(1) of the PPSA that is not publicly available.





## Warranty

OX Tools AU Pty Ltd (OX Tools) warrants that all goods supplied by it and purchased by you from Authorised OX Tools Dealers throughout Australia are free of defects except for those goods listed under Warranty Exclusions.

### Warranty Claims

If you consider that any goods supplied by OX Tools is defective, you can lodge a claim under this Warranty and any apparent fault will be rectified free of charge by OX Tools or an Authorised OX Tools Dealer within the Warranty Period, which is effective from the date of purchase provided that you meet the following conditions;

- You must produce the original invoice/receipt or other proof of purchase document disclosing the purchase date.
- All costs of installation, cartage, freight, travelling expenses, hiring tools and insurance are paid by the customer.
- The goods, being precision equipment, has not been misused, adjusted or serviced by any person other than an Authorised OX Tools Dealer.
- The equipment has been installed correctly and is used in accordance with the OX Tools instructions supplied with the goods.

OX Tools provides this warranty in addition to all other rights and remedies that you may have under law in relation to the goods to which this warranty relates.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Notwithstanding the preceeding clause, OX Tools' liability in respect of a breach of a consumer guarantee or any warranty made under these Conditions of Warranty for any goods not of a kind ordinarily acquired for personal, domestic or household use is limited, to the extent permissible by law and at the option of OX Tools to:

1. Replacing the goods or the supply of equivalent goods;
2. The repair of the goods;
3. The payment of the cost of replacing the goods or of acquiring equivalent goods; or
4. The payment of the cost of having the products repaired.

To the extent permitted by law, all other warranties whether implied or otherwise, not set out in these Conditions of Warranty are excluded and OX Tools is not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate the customer for:

1. Any increased cost or expenses;
2. Any loss of profit, revenue, business, contracts or anticipated savings;
3. Any loss or expense resulting from a claim by a third party; or
4. Any special, indirect or consequential loss or damage of any nature whatsoever.

If you wish to make a claim under this Warranty, you should:

- Contact by Phone: +612 8845 6600;
- Visit your nearest Authorised OX Tools Dealer;
- Visit OX Tools website for details: [www.oxtools.com](http://www.oxtools.com)

These conditions may only be varied with the written approval of the directors of OX Tools.

### Warranty Period

Product Type	Warranty Period
Diamond Tools	12 Months
Hand Tools	12 Months
Access Equipment	12 Months
Safety Equipment	12 Months
Construction Machinery	12 Months

### Warranty Exclusions

This section identifies what is excluded under this Warranty. This Warranty does not cover damage caused by:

- Misusing, overloading or abusing the OX goods,
- Operating the goods in a manner that is not in accordance with the OX Tools instructions supplied with the goods (the "Instruction Manual"),
- Failing to clean the goods in accordance with the instructions for correct and regular cleaning as set out in the Instruction Manual,
- Not carrying out periodic maintenance,
- Neglecting or otherwise failing to maintain the goods in accordance with the

instructions for maintenance of the goods including regular tune-ups, lubrication etc,

- Using incorrect voltage or non-authorised electrical connections with the goods,
- Installing the goods incorrectly,
- Using non authorised/non-standard parts, non-genuine OX Tools parts in connection with the goods,
- Repairing or carrying out any work on the goods by someone other than an Authorised OX Tools Dealer,
- Causing a double burnout - field and armature burnout,
- Operating the goods with any guard, shield or line cutting knife removed, repositioned, or that is incomplete or damaged,
- Using or operating the goods with any evidence of partial failure of goods or damage being present,
- Tampering with the goods in any way other than in accordance with the manual,
- Not having taken reasonable steps to prevent the damage or failure from occurring to the goods,
- Storing the goods inconsistently with manufacturer's recommendations or where the goods is exposed to corrosive substances such as fertilisers, grass and plant residue including palm tree sap, bore water and other detrimental environmental exposure,
- Making mechanical adjustments that are inconsistent with the Manual- including, chains, bars, engine tuning etc,
- Operating the goods with incorrect fuel to oil ratio,
- Having made improper adjustments of ignition timing or the carburettor,
- Using the goods with clogged or removed filters (i.e. fuel filter, oil filter, air filter),
- Using incorrect chain and bar oil/lubricant for the oil pump.

In addition to the above, this Warranty DOES NOT cover the following:

- Goods purchased:
  - Outside of Australia,
  - from a non-Authorised OX Tools Dealer (such as purchases from unauthorised retailers and purchases over the internet, from local/ international sellers or sites such as, but not limited to, Ebay and Gumtree),
  - at an auction, or
  - from a private seller.
- Accidental damage or damage caused by an extra ordinary event or circumstance beyond your or anyone else's control including damage caused by:
  - environmental factors,
  - natural discolouration of material due to ultraviolet light,
  - crushing, impact with hard surface or damage caused in the transit of the goods, foreign material, or exposure of the goods to excessive heat or cold or to solvents, or water entry into the goods,
  - abnormal goods performance caused by any ancillary equipment interference or other external factors,
- Damage or failure that occurs for a reason or reasons that were already disclosed to you (in writing or otherwise), prior to your purchase of the goods,
- Damage or defects to the goods that ought reasonably to have been revealed to you by an examination of the goods, where you conducted such an examination before acquiring the goods,
- Normal wear and tear due to the course of normal use,
- Freight costs associated transporting the goods between you, the place of purchase, the Authorised OX Tools Dealer and OX Tools for the purposes of making a claim pursuant to this Warranty or otherwise,
- Repairs that are required by you to be made to the goods which are simply due to a clogged or restricted exhaust system, carbon deposits in exhaust ports, piston crown or combustion chamber or periodic decarbonising,
- Goods with serial number altered or removed,
- Refurbished, ex display or factory second goods,
- Consumable items supplied with the goods or that are a part of the goods,
- Service parts,
- Accessories, that for the avoidance of doubt include but are not limited to the following: those included with the goods at the time the goods was purchased by you including cases & site bags, brushes, chucks, cord sets, bulbs, LED's & lamps, driver & drill bits, blades, driver blades, o-rings, switches & triggers, power tool attachments, blades and cutters, spark plugs, carburettor kits, filters, bars & chains, cutting equipment, recoil springs, rope, belts, measuring devices, air (pneumatic) fittings, nose caps, gaskets, fuel hoses,
- The goods coming into contact with sand, water, rust, corrosion, fire, vermin and insect infestation, power outages or surges or inadequate voltage or current.

If the goods you are using has been rented or leased by you, and you consider a claim might be made under this Warranty, you should refer the matter to the rental or leasing company immediately and they will handle the matter.

This Warranty does not cover service costs in replacing and maintaining consumable parts and accessories that have ceased working through normal wear and tear such as, but not limited to: drill heads, blades, cutters and other parts classifiable as a consumable part or accessory.

OX Tools AU Pty Ltd  
 ABN 41 151 919 569  
 PO Box 498, Ermington, NSW, 1700, AUSTRALIA  
 (612) 8845 6600  
[www.oxtools.com.au](http://www.oxtools.com.au)



## Notes

A series of horizontal dotted lines for taking notes, spanning the width of the page below the 'Notes' header.



## Notes

Handwriting practice lines consisting of 20 horizontal dotted lines.



## Notes

A series of horizontal dotted lines for taking notes, spanning the width of the page below the 'Notes' header.







## Safety

Safety is not something that is taken lightly at OX. When we design and build our tools the safety of the operator and safety of the tool is always the most important factor that is well thought-out during the whole process.

Safety when using OX tools is of paramount importance. Ultimately safety comes down to the operator which is why instructions need to be read and adhered to. It is also important to ensure the correct safety clothing is worn whilst working on a construction site.


## Environmental

OX Tools is committed to managing environmental impact as an integral part of our operations. In particular, it is our policy to assure the environmental integrity of our processes and facilities at all times. We will do so by adhering to the following principles:

We employ management systems and procedures specifically designed to minimise the use of hazardous materials, energy and other natural resources, to minimise the generation of waste and to enable recycling and reuse of materials.

We continually seek opportunities to improve our environmental performance by establishing objectives and targets, measuring progress, and reporting our results; including but not limited to energy, water, paper and fuel consumption and vehicle miles travelled.

We promote participation and communicate our commitment to responsible environmental management by promoting environmental responsibility among our employees; by providing the necessary training and support to enable them to implement this policy; by informing suppliers of our environmental policy and encouraging them to adopt effective environmental management practices; and by soliciting input from our employees, suppliers, customers and board members in meeting our environmental goals.



OX Tools AU Pty Ltd  
PO Box 498, Ermington  
NSW 2115 AUSTRALIA

T: 02 8845 6600  
E: [sales.au@oxtools.com](mailto:sales.au@oxtools.com)

For more information visit: [oxtools.com](http://oxtools.com)

Subject to availability and OX Tools AU terms and conditions of sale. E & OE. © OX Tools AU

**OXBOOK-E8**

